## Efficiency Analysis of Beef Cattle Farms Using Bootstrap Data Envelopment Analysis in Izmir/Turkey

Nursel Koyubenbe<sup>1</sup>

## ABSTRACT

This study aimed to determine the efficiency levels of beef cattle farms in Izmir Province and identify the factors that affect their efficiency by means of Bootstrap Data Envelopment Analysis (BDEA). The study covers 62 farms engaged in beef cattle farming in five different districts of Izmir. The BDEA for beef cattle farming provided the result that the analysis should be conducted with the Constant Return to Scale (CRS) assumption. The average corrected input-oriented CRS efficiency after bootstrapping was found to be 0.90. According to the results of truncated regression analysis, a positive relationship was found between adjusted input-oriented efficiency scores and the number of fattening periods per year. On the other hand, it was determined that union membership had a statistically significant negative effect on efficiency. In addition, big farms had lower efficiency than smaller farms, farms in Buca District had lower efficiency than those in Odemis District, and those who fatten old cattle had lower efficiency than those who fatten young cattle. As a result, farms that fatten cattle for shorter periods of time, farms that do not increase the number of animals much, and farms that fatten young cattle achieve higher output per unit of input used, indicating higher technical efficiency.

Keywords: Bootstrap DEA, Constant Return to Scale, Technical efficiency, Truncated Regression.

## **INTRODUCTION**

It is accepted that consumption of animal products plays a vital role in ensuring a healthy and balanced diet for societies. Therefore, in today's world, the issue of becoming nutrition is increasingly important, and finding a solution is becoming more difficult due to the rapidly increasing population. The livestock sector in Turkey has an important potential not only in terms of nutrition, but also in terms of ensuring the profitability of farms, providing raw materials to the industry, increasing exports and foreign exchange expanding income. employment opportunities, and utilizing pasture and grazing areas.

In Turkey, especially beef cattle breeding has made significant progress over time, but has not yet reached a level sufficient for the population. In 2022, the number of cattle in Turkey was 17,850,543 heads, the number of slaughtered cattle was 5,134,441 heads, and beef production was 1,460,719 tons (MAF, 2023a). However, there is a significant gap between the amount of red meat produced and the amount needed to provide adequate and balanced nutrition for the current population.

One of the provinces with high potential for beef cattle breeding in Turkey is Izmir. According to 2022 data, Izmir Province has approximately 5% of the country's total cattle population (778,468 heads) and approximately 3% of the total beef production (42,000 tons) (MAF, 2023b). For this reason, the research focused on Buca, Kemalpasa, Odemis, Menemen and Menderes Districts of Izmir Province. Since

<sup>&</sup>lt;sup>1</sup> Department of Agricultural Economics, Faculty of Agriculture, Siirt University, 56100 Siirt, Turkey. e-mail: nursel.koyubenbe@siirt.edu.tr

these districts constitute approximately 35% of the total number of cattle in this province (MAF, 2023b), they are considered representative of the beef cattle farms in the region.

The lack of adequate support for animal production in Turkey, the increase in input prices above the world prices, and the import of both live animals and meat have led to a decrease in competitiveness in the livestock sector and significant production and income losses. While the costs of beef cattle farming are rising, low prices in the free market put serious pressure on producers. To solve these problems, it is essential to raise efficiency in production. Ensuring efficiency in production requires carrying out efficiency studies at the level and creating and enterprise implementing sustainable policies regarding efficiency.

Efficiency measurement is a very useful tool used in evaluating businesses. It allows farmers to evaluate their performance and identify areas that can be improved. Data Envelopment Analysis (DEA) models are highly effective and non-parametric efficiency approaches. DEA allows evaluation of the relative efficiency of different businesses. It helps identify topperforming businesses and benchmarks the performance of others against them. However, due to the non-parametric structure of DEA, it is a significant disadvantage that it attributes all measurement errors to inefficiency. To overcome this disadvantage, bootstrapping techniques must be used (Simar and Wilson, 2007). Bootstrap is a general computerbased statistical method used to calculate the accuracy of statistical predictions (Bogetoft and Otto, 2011). The basic idea of Bootstrap is to replaceably sample observations from one's dataset, thus creating a new "random" dataset the same size as the original. Using this dataset, the necessary statistics, called replicates, can be calculated. This process is repeated to create an instance of the copies. Based on this example, we can draw conclusions about the distribution of the

statistics we are interested in (Bogetoft and Otto, 2011). In practical problems, only a given sample S=s is drawn and the remaining N-n elements of the population unknown. Therefore, the only are information available is the drawn sample. The distribution and variance of the population mean and sample mean are unknown and need to be estimated. One way is to use analytical prediction functions. An alternative way to estimate the variance of the sample mean is the bootstrapping method (Behr, 2015).

Various methods are used to perform efficiency analyzes in beef cattle breeding in different countries. While some researchers prefer the parametric method called Stochastic Frontier Analysis (SFA) (Ruiz *et al.*, 2000; Trestini, 2006; Serin *et al.*, 2008; Fleming *et al.*, 2010; Otieno *et al.*, 2012), others preferred the DEA method (Rakipova *et al.*, 2003; Finneran and Crosson, 2013; Umar *et al.*, 2014; Gabdo *et al.*, 2020; Musliu *et al.*, 2023).

Very few studies have been conducted on efficiency measurement in beef cattle farms in Turkey. In these studies, Ceyhan and Hazneci (2010) used the DEA method, while Özden and Armağan (2014) and Gözener and Sayılı (2015) used both DEA and SFA methods together. However, no study on this subject has been found in Izmir. For this reason, this study is important as it is the first efficiency analysis conducted in the beef cattle industry in Izmir province.

Additionally, there are very few studies in international literature that the use Bootstrapping DEA in beef cattle efficiency analysis. Of these, Musliu et al. (2023) and Gabdo et al. (2020)'s studies applied bootstrapping, but neither of them made the choice between Constant Return to Scale (CRS) and Varable Return to Scale (VRS). Also, Gabdo et al. (2020)used bootstrapping in the free disposal hull approach. Ceyhan and Hazneci (2010) did not choose between CRS and VRS and also analyzed the efficiency results with tobit regression, although the literature recommends truncated regression. In this

[ DOI: 10.22034/JAST.27.1.31

[ Downloaded from jast.modares.ac.ir on 2025-07-09

study, bootstrapping was used to choose between CRS and VRS, and truncated regression was used as recommended by the literature.

In this context, the main purpose of this study was to evaluate the input-oriented efficiency of beef cattle farms in the Izmir region using the return to scale approach and, thus, to demonstrate that beef cattle breeders will gain a competitive cost advantage. Another aim of the study was to analyze the factors affecting effectiveness with the correct regression technique suggested by the literature.

### MATERIALS AND METHODS

The main material of this study was the data obtained from the fully specialized beef cattle farms through questionnaires. According to the 2013 MFAL (Ministry of Food, Agriculture and Livestock) report, in which the research was conducted, Izmir Province has a total of 862 beef cattle farms in operation. The sample size for the study was determined as 62 farms, using the formula specified by Newbold (1995) and Miran (2021a).

$$n = \frac{Np(1-p)}{(N-1)\sigma_{\hat{p}_{x}}^{2} + p(1-p)}$$

Where, n: Sample size, N: Total Number of farms engaged in beef cattle in Izmir Province (862),  $\sigma_{px}^2$ : Variance (0.06079), P: Proportion of breeders engaged in beef cattle (0.50). In determining the sample volume, 90% reliability and 10% margin of error were used. In order to reach the maximum sample volume, the breeding ratio was taken as 0.50. While analyzing the collected data, the farms were divided into 3 groups according to the number of cattle fed in a fattening period (Table 1).

In this study, the efficiency in beef cattle farming was measured using bootstrap DEA. Within this framework, the study aimed to determine whether the input efficiency adhered to CRS or Variable VRS. This involved testing the null hypothesis, CRS, against the alternative hypothesis, i.e. 'Variable Return to Scale (VRS). After determining the corrected efficiencies and confidence intervals, the factors influencing efficiency were analyzed using truncated regression method.

In truncated regression models, certain ranges of the dependent variable are excluded from the sample. This means that observations of the dependent variable that fall below or above certain threshold values are systematically removed from the sample. In truncated regression, there are no observations for the dependent and independent variables corresponding to specific threshold values. Therefore, truncation implies that only a portion of the dependent variable is included in the sample. When it is excluded, a subset of the population from the sample based on the dependent variable, a truncated regression model emerges. Truncated regression differs from censored regression models, where observations with censored dependent variable values are still included in the regression. In truncated regression, observations that do not adhere to a certain rule are not taken into account when estimating the regression equation. If truncated samples are modeled using

**Table 1.** Farm groups according to the number of cattle, number of farms included in the sample, and the ratio of farms in total.

Form groups	Number of cattles	Number of farms in the	Ratio of groups in total	
Farm groups		groups	(%)	
Group 1	1-100	34	54.8	
Group 2	101-400	23	37.1	
Group 3	401+	5	8.1	
Total		62	100.0	



Ordinary Least Squares (OLS), the coefficients will be biased and inconsistent. Truncated regression models are typically estimated using parametric maximum likelihood estimation methods (Miran, 2021b).

## **Data Envelopment Analysis**

Let there be N production units with K inputs and M outputs. In this case, the linear programming model for DEA can be represented as follows, where X is the K×N dimensional input matrix, and Y is the M×N dimensional output matrix:

 $\min_{\theta, \lambda} \theta$ ,

st.  $-y_i + Y\lambda \ge 0$ , (Output restrictions)

 $\theta x_i - X\lambda \ge 0$ , (Input restrictions)

 $\lambda \ge 0$ 

Here,  $\theta$  represents the efficiency as a scalar,  $\lambda$  is a N×1 dimensional vector of constants (decision units), y is the output vector, and x is the input vector. In other words,  $\lambda$  typically represents the vector of weights assigned to various inputs and outputs when evaluating the efficiency of Decision-Making Units (DMUs). These weights determine the contribution of each input and output in the efficiency calculation. This model is preferred more among different linear programming models as it is less restrictive.

By solving the above linear programming model for each decision unit taken into consideration, N values of  $\theta$  between 0 and 1 will be obtained. Each  $\theta$  value obtained provides the efficiency for the respective production unit. When the  $\theta$  value is equal to 1, it indicates that the decision unit is on the boundary or, according to Farrell's (1957) definition, has technical efficiency. In inefficient units, the  $\theta$  value will be less than 1. In the production process, outputs are obtained by using inputs. Therefore, there are two different directions of efficiency, i.e. with respect to inputs and outputs. Accordingly, efficiency calculations are done using two different approaches:

• Input-Oriented (IO) approach, which focuses on inputs

• Output-Oriented (OO) approach, which focuses on outputs

In this study, there is no control over the output, but it is possible to control the use of inputs. Therefore, input-oriented DEA has been used. Input-oriented DEA models are generally approached with either CRS or VRS. CRS means that if there is a proportional change in inputs, there will be an equal change in outputs. For example, if inputs double, outputs will also double. VRS refers to the situation where production exhibits decreasing constant, or increasing returns to scale depending on the scale of operations (Miran, 2021b). Bootstrap DEA was utilized to identify the preferred returns-to-scale approach.

DEA relies on a specific set of input and output data to measure efficiency. However, in practice, these data may contain errors, or variations due to sampling. By employing bootstrapping, Bootstrap DEA generates multiple resamples from the original dataset, allowing researchers to estimate the uncertainty associated with efficiency scores and rankings. Traditional DEA methods often assume that the input and output data are fixed and known with certainty. Bootstrap DEA relaxes this assumption by generating resamples, which can be used to estimate confidence intervals for efficiency scores. This provides a more comprehensive understanding of the reliability and robustness of efficiency estimates. In DEA, different models can be used to assess efficiency, such as input-oriented, outputoriented, or CRS versus VRS models. Bootstrap DEA can be employed to compare the performance of different models by resampling and calculating efficiency scores for each model. This helps researchers select the most appropriate model for their specific analysis.

## **Bootstrap DEA Model for Beef Cattle** Farming

The bootstrap DEA model for beef cattle considered two outputs and nine inputs. Descriptions and units of the variables in bootstrap DEA model are as follows:

 $Y_1$ : Total live weight gain (kg yr<sup>-1</sup>) = Total live weight of sold animal-Total live weight of purchased animal

Y<sub>2</sub>: Total amount of manure (ton yr<sup>-1</sup>)

 $X_1$ : Total labor (MLU yr<sup>-1</sup>)= Family labor+Permanent labor+Temporary labor; [MLU-Male Labor Unit]: 0.50 for those aged 7-14; 0.75 for women and 1.0 for men between the ages of 15-49; 0.50 for women over 50 ages and 0.75 for men (Erkus et al., 1995)].

X<sub>2</sub>: Total amount of purchased concentrated feed (ton yr<sup>-1</sup>)

X<sub>3</sub>: Total amount of barley (ton  $yr^{-1}$ ) = Amount of purchased barley+Amount of barley produced on the farm

X<sub>4</sub>: Total amount of silage (ton  $yr^{-1}$ )= Amount of purchased silage+Amount of silage produced on the farm

 $X_5$ : Total amount of straw (ton yr<sup>-1</sup>) = Amount of purchased straw+Amount of straw produced on the farm

 $X_6$ : Farm size (head)= Number of beef cattle in a fattening period×Number of fattening periods per year

X<sub>7</sub>: Total fuel costs (TL yr<sup>-1</sup>)

X<sub>8</sub>: Total electricity and water costs (TL  $yr^{-1}$ )

 $X_9$ : Total veterinary costs (TL yr<sup>-1</sup>)

The basic descriptive variables statistics used in Bootstrap DEA are presented in Table 2.

In line with the aim of this study, which is to answer the question of whether constant or variable returns to scale technology is prevalent, certain tests were conducted to compare the hypothesis of technology exhibiting constant returns to scale against the alternative hypothesis of variable returns to scale (Bogetoft and Otto, 2011).

H<sub>0</sub>: Constant Returns to Scale (CRS)

Ha: Variable Returns to Scale (VRS)

If the calculated efficiencies using VRS technology are the same as those calculated using CRS technology, the null hypothesis is accepted. If, at least, one of the CRS or VRS efficiencies is different, it is expected that the CRS efficiency is lower than the VRS efficiency. To determine this, it is tested whether the SE is equal to 1 for all farms:

$$SE^{k} = \frac{E_{CRS}^{k}}{E_{VRS}^{k}} \quad (k = 1, \dots, K)$$

If the null hypothesis is true, it is concluded that the technology should be CRS; if the null hypothesis is false, it is concluded that it should be VRS.

In a situation with K observations, if, at least one of the calculated scale efficiencies is less than 1, it is needed to reject the null hypothesis. Considering the uncertain or stochastic connection between the technology set and SE, if, at least, one of the calculated scale efficiencies is significantly lower than 1 or, in other words, if one of the scale efficiencies is lower than a critical value, the null hypothesis is rejected. Instead of examining each scale efficiency individually, the test Statistic (S) can be calculated to accomplish this:

$$S = \frac{\sum_{k=1}^{K} E_{CRS}^{k}}{\sum_{k=1}^{K} E_{VRS}^{k}} = \frac{59.83394}{60.68813} = 0.985925$$

Table 2. Descriptive statistics of outputs and inputs for all farms (n= 62).

Variables	Unit	Mean	Std. dev.	Min.	Max.
$Y_1$	$(\text{kg yr}^{-1})$	69557.83	72668.78	4620.00	349 258.00
$Y_2$	$(ton yr^{-1})$	704.28	778.82	42.60	3 551.10
$\mathbf{X}_1$	(MLU yr <sup>-1</sup> )	2.37	1.46	0.18	9.04
$X_2$	$(ton yr^{-1})$	95.62	155.52	0.01	765.50
$X_3$	$(ton yr^{-1})$	718.23	5 072.67	0.01	40000.00
$X_4$	$(ton yr^{-1})$	416.73	611.36	0.01	2600.00
$X_5$	$(ton yr^{-1})$	74.25	82.24	0.01	386.00
$X_6^*$	(Head)	230.19	250.07	14.20	1 183.70
$X_7$	$(TL yr^{-1})$	20558.06	44350.48	500.00	350000.00
$X_8$	$(TL yr^{-1})$	6768.71	10581.88	150.00	80000.00
$X_9$	$(TL yr^{-1})$	12596.77	20532.03	500.00	150000.00

If the null hypothesis is true, the value of S will be close to 1, while, if the alternative hypothesis is true, the value of S will be less than 1. To determine statistically that S is less than 1, a critical value is needed. If S is smaller than this critical value, the null hypothesis is rejected. The critical value (Ca), will allow to perform this test. For a given  $\alpha$  level, if S< Ca, the null hypothesis is rejected and we can conclud that it is VRS [Pr(S< ca | H0)].

Since the distribution of S under  $H_0$  is unknown, Ca cannot be directly calculated. One way to address this lack of distributional information is to utilize the bootstrap method. In this study, DEA and 10,000 iterations of Bootstrap DEA were implemented using the R software.

For radial DEA, S was calculated as 0.985925. The P-value for S and S<sub>b</sub>, calculated using the DEA Bootstrap approach with 10 000 iterations, was found to be 0.1211429. Therefore, since P>  $\alpha$  for  $\alpha$ = 0.05, the null hypothesis is not rejected. Thus, CRS is present in beef production. To identify the necessary actions to improve efficiency, utilization of the corrected efficiency values with respect to input-oriented CRS is needed.

The relationship between the corrected efficiency and the variables that influence it was modeled using truncated regression. Since the corrected efficiency values obtained from this study are ratio data ranging from 0 to 1, truncated regression model was used to assess the effects of some variables. To account for the censoring of the corrected efficiency values at 0 and 1, the truncated regression model was employed. The corrected efficiency value was treated as the censored dependent variable, and the farmer, farm, and resource utilization variables were considered as independent variables. Covariates were included to control for potential confounding factors. The model parameters were estimated using maximum likelihood estimation, and the interpretation of the coefficients was based on their effects on the expected value of the corrected efficiency values.

In estimating the technical efficiency scores using truncated regression, a double bootstrap technique was employed to account for non-discretionary factors. This approach was applied after empirically obtaining the derived technical efficiency values. The quantification involved taking the inverse of the technical efficiency values. As a result, the variable dependent on the set of non-discretionary variables was transformed from the double boundary dimension to the single boundary dimension. In such a case, the efficiency score was confined to the interval  $[1, \infty)$  and the leftlimit truncation regression was used to determine factors associated with the reciprocal of the technical efficiency scores. The value of efficiency that equals one indicates an efficient farm, while a larger efficiency value indicates an inefficient farm (Isgin et al., 2020).

DEA scores may be correlated with the efficiency factors when classic regression models are applied (Kumbhakar and Lovell, 2000). In this paper, bootstrapped truncated regression (100 replications) model was applied to find effects of the efficiency factors (Simar and Wilson, 2007). Factors thought to be effective on efficiency are given in Table 3.

#### RESULTS

In the farms examined, 29.0% of the breeders were cooperative members, 93.5% were members of the Chamber of Agriculture, and 79.0% were members of the Red Meat Producers Union. In addition, 50% of the farms examined kept records on beef cattle breeding, 14.5% had animal insurance, and 53.2% used credit.

	Efficiency factors	Unit	Mean	Std. dev.	Min.	Max.
	Reciprocal dcrs		1.133016	0.1740463	1.009	1.969
$f_1$	Age	Year	49.016130	10.925220	28	76
$f_2$	Education level of breeding	Year	8.145161	3.683578	1	16
	Education level <sup>2</sup>	Year	79.693550	70.260310	1	256
$f_3$	Union membership	0: No 1: Yes	0.7903226	0.4104015	0	1
$f_4$	Chamber membership	0: No 1: Yes	0.9354839	0.2476756	0	1
$f_5$	Cooperative membership	0: No 1: yes	0.2903226	0.4576167	0	1
$f_6$	Credit usage	0: No 1: Yes	0.5322581	0.5030315	0	1
$f_7$	Farm size (Number of cattle)	Head	230.189	250.0704	1183.7	14.2
$f_8$	Farm groups	DEC <sup>a</sup>				
	Group 1 (Reference group)		0.5322581	0.5030315	0	1
	Group 2		0.4032258	0.4945499	0	1
	Group 3		0.0645161	0.2476756	0	1
f9	Beef cattle insurance	0: No 1: Yes	0.1451613	0.3551390	0	1
$f_{10}$	Age of beef cattle at the					
	beginning of fattening	DEC				
	0-6 month old (Reference)		0.0967742	0.2980636	0	1
	7-12 month old		0.4193548	0.4974818	0	1
	7-12 month old female		0.0322581	0.1781270	0	1
	Mixed age beef		0.0806452	0.2745122	0	1
	15-24 month old cattle		0.3548387	0.4823703	0	1
	Cow - ox fattening		0.0161290	0.1270001	0	1
$f_{11}$	Number of fattening periods per					
	year	RPY <sup>b</sup>	1.385484	0.3753323	1	3
$f_{12}$	Districts	DEC				
	Odemis District (Reference)		0.2741935	0.4497487	0	1
	Buca District		0.0483871	0.2163345	0	1
	Kemalpasa District		0.1935484	0.3983042	0	1
	Menderes District		0.1451613	0.3551390	0	1
	Menemen District		0.3387097	0.4771345	0	1

Table 3. Descriptive statistics of the variables used in regression analysis (n=62).

<sup>*a*</sup> DEC: Dumi for Each Category, <sup>*b*</sup> RPY: Repetition Per Year.

The results of the DEA analysis in this study, which considered 9 inputs and 2 outputs, revealed that, among the examined farms, 52% were fully efficient, 3% were highly efficient, and 45% were very highly efficient under the CRS assumption. Under the VRS assumption, 69% of the farms were fully efficient, 3% were highly efficient, and 28% were very highly efficient. According to scale efficiency, 52% of the farms were fully efficient and 48% were very highly efficient (Table 4). The average efficiency values were found to be 0.94 for CRS and 0.96 for VRS, with a scale efficiency of 0.98. The minimum efficiency values were 0.52 for CRS, 0.53 for VRS, and 0.86 for SE.

Also, the bootstrap efficiency results are presented in Table 4. These results indicate that only 5% of the farms had high efficiency, and 95% had very high efficiency in their production. After correcting for any bias via the Bootstrap DEA, the minimum and maximum efficiencies were 0.51 to 0.99, respectively, and the average efficiency score was 0.90. The 95% confidence interval for the adjusted arithmetic mean computed for input-oriented CRS ranged from 0.8174 to 0.9335.

[ DOI: 10.22034/JAST.27.1.31 ]

	~ ~ ~		~ ~ ~	~ ~ ~ ~ ~		
Efficiency scores	CRS	VRS	SE	Cor. CRS		
Very low (0.00-0.24)	0	0	0	0		
Low (0.25-0.49)	0	0	0	0		
High (0.50-0.74)	2 (3%)	2 (3%)	0	3 (5%)		
Very high (0.75-0.99)	28 (45%)	17 (28%)	30 (48%)	59 (95%)		
Fully efficient	32 (52%)	43 (69%)	32 (52%)	0		
Total	62 (100%)	62 (100%)	62 (100%)	62 (100%)		
Summary						
Mean efficiency	0.94	0.96	0.98	0.90		
Standard deviation	0.10	0.10	0.37	0.09		
Minimum	0.52	0.53	0.86	0.51		
Maximum	1.00	1.00	1.00	0.99		
Confidence interval (95%)	Lower limit: 0.8174112					
	Upper limit: 0.9334603					

**Table 4.** CRS, VRS and SE scores for all the farms (n= 62).

Truncated regression was employed to model the relationships between the corrected efficiencies and the influencing variables (Table 5). The Wald Chi-square test indicates that the truncated regression model was statistically significant. Since the dependent variable in the truncated regression equation is the reciprocal of the corrected input-oriented CRS efficiency score, the signs of the coefficients should be interpreted in reverse. In other words, a positive sign indicates a negative effect, while a negative sign indicates a positive effect.

The efficiency of beef cattle farming was negatively influenced by union membership (Table 5). On the contrary, number of fattening periods per year exhibited a positive relationship with efficiency.

Among the districts analyzed, the efficiency values were generally similar, except for Buca District, which demonstrated less efficiency compared to the reference district (Odemis).

While the efficiency of the largest farms group was lower than the smallest farms group, it was revealed that the efficiency of the smallest and medium-sized farms was the same.

Also, farms that fattened 15-24 month old cattle and cows/oxen were less efficient than farms that fattened 0-6 month old calves.

## DISCUSSION

Looking at the socio-economic characteristics of the farms examined, it can be said that the education level (8 years) and the membership rate in the cooperative (29%) were low. Membership rates in the Chamber of Agriculture and the Red Meat Producers Union appear to be quite high (93.5% and 79.0%, respectively). However, the reason for these high membership rates is not that breeders benefit from the activities of chambers and unions, but rather, the breeders have to become members of chambers and unions in order to receive direct income support and other livestock supports. Therefore, there is a lack of organization in the farms examined, and significant inadequacies in the services provided by the organizations to the breeders.

When compared with the results of other studies, the efficiency values in this study were relatively higher than those reported in some other studies. Rakipova et al. (2003) found an average efficiency score of 0.92 under VRS; Ceyhan and Hazneci (2010) reported 0.87 under CRS and 0.92 for VRS, with a scale efficiency of 0.95; Gozener and Savili (2012) calculated efficiency as 0.83 for Group 1 and 0.89 for Group 2 under VRS; Ozden and Armagan (2014) found 0.80 under VRS. Umar et al. (2014) determined the scale efficiency as 0.54: Gabdo et al (2020) reported as 0.92 under CRS and 0.92 for VRS, with a scale efficiency of 0.99; Demirkol and Aydin Table 5. Estimation results of truncated regression model for corrected efficiencies.

	Coefficient	Std. error	Ζ
f <sub>1</sub> : Age	0.0056107	0.0169831	0.33
f <sub>2</sub> : Education level of breeding	-0.3833495	0.3570153	-1.07
Education level <sup>2</sup>	0.0133802	0.0193656	0.69
$f_3$ : Union membership	0.9373200*	0.5253611	1.78
$f_4$ : Chamber membership	-0.4894960	0.8376676	-0.58
f <sub>5</sub> : Cooperative membership	0.8502074	0.5545404	1.53
$f_6$ : Credit usage	0.2681738	0.4138680	0.65
$f_7$ : Farm size (Number of cattle)	-0.00015460	0.00014640	-1.060
f <sub>8</sub> : Farm groups			
Group 2	-0.6275366	0.5343065	-1.17
Group 3	2.010874**	0.8972282	2.24
f <sub>9</sub> : Beef cattle insurance	-0.4849906	0.6823509	-0.71
$f_{10}$ : Age of beef cattle at the beginning of fattening			
7-12 month old calf	0.3214660	0.5347944	0.60
7-12 month old female calf	0.6473057	0.7171665	0.90
Mixed age beef	-0.8679528	0.5898748	-1.47
15-24 month old cattle	1.4209860**	0.5942299	2.39
Cow-ox fattening	2.971303***	1.0078600	2.95
f <sub>11</sub> : Number of fattening periods per year	-1.0807470**	0.5040591	-2.14
f <sub>12</sub> : Districts			
Buca District	1.0507130**	0.4892321	2.15
Kemalpasa District	-0.4976566	0.4923087	-1.01
Menderes District	-0.1806254	0.4997344	-0.36
Menemen District	-0.4001058	0.4792055	-0.83
Log likelihood=	76.214341	Wald $chi^2(20) = 6$	03.23***

\*, \*\*, and \*\*\*: Represent significance at 0.1, 0.05, and 0.01 levels, respectively.

(2021) found the scale efficiency as 0.97. The higher efficiency values obtained in this study may be due to the fact that the farms within the scope of this study specialize in beef cattle breeding.

The efficiency score of 0.90 obtained through the bootstrap efficiency model implies that, even with 10% less inputs, the same level of production could have been achieved. In other words, inefficient farms should reduce the use of total labor, concentrate feed, barley, silage, straw, farm size, fuel costs, electricity-water costs and veterinary costs, because the farms that utilized these inputs less obtained higher efficiency scores.

It was expected that the breeder's age would negatively affect the efficiency of the examined farms and the education level would positively affect the efficiency. However, according to the truncated regression model estimation, no statistical relationship emerged between these variables and efficiency. The negative effect of union membership on efficiency shows that farms that benefited from the union's services tend to exhibit lower efficiency. This shows that union activities did not contribute to the efficiency of the farms.

The efficiency coefficients of Chamber of Agriculture membership, Cooperative partnership and credit use turned out to be statistically insignificant. Based on this, it is necessary to question the quality of the services provided by the Chamber of Agriculture, Cooperatives and Credit institutions.

No statistical relationship was found between farm size and efficiency. On the other hand, the efficiency of large farms was lower than that of the small farms group, while the efficiency of small and mediumsized farms was the same. This was an unexpected result, because it is generally thought that, as farms grow, their efficiencies should increase. Such a result indicates that the farms in the region where the research was conducted should remain small or medium scale.

It may be considered that cattle insurance will positively affect the efficiency of the farms, as it covers the financial losses suffered by the insured due to the death or compulsory slaughter of beef cattle. In contrast, in this study, insurance was not statistically significant. Insufficient insurance services may have caused the breeder's insecurity.

It was observed that those who kept 15- to 24-month old cattle and cows and oxen were less efficient than those who kept 0-6 month old calves. This is because older cattle achieve lower live weight gain than young cattle. For this reason, farms in the region preferring young cattle for fattening will increase their efficiency scores.

It has been determined that increasing the number of annual fattening periods has a positive effect on efficiency. Increasing the number of annual fattening periods means shortening the average fattening period. In other words, the extension of fattening time indicates that farms may face difficulties in achieving optimum resource use and performance.

The less efficiency observed in the Buca District compared to Odemis indicates regional variations in beef cattle farming performance. Factors such as geographical conditions, access to resources or differences in management practices may contribute to the disparity in efficiency between the two districts. Further analysis is needed to understand the specific reasons behind this discrepancy and explore potential areas for improvement.

#### Suggestions

Given the high proportion of farms exhibiting very high efficiency, policy initiatives should focus on supporting and disseminating best practices on these farms to increase overall efficiency in the beef cattle sector. Government and agricultural authorities can develop education and extension disseminate programs to information on efficient farm management practices. Workshops, seminars and training programs can be organized to equip breeders with the latest developments in livestock management and husbandry practices. Further research on beef cattle efficiency could be encouraged, including

consideration of other variables that may affect efficiency, such as climate, farm size, and breed characteristics.

Creating platforms where beef cattle producers can share their experiences, challenges, and solutions can foster collaboration and facilitate the exchange of information. Farmer cooperatives and unions can be established and networking events can be organized to encourage information sharing. Implementing incentive programs to adopt efficient and sustainable practices can motivate farmers to achieve higher levels of efficiency.

In order to increase efficiency in beef cattle Fattening, in addition to solving the problems of education, publication, research and organization, some other precautions that should be taken in general can be listed as follows;

Since DEA is sensitive to data quality, improving data collection processes can lead to more accurate efficiency measurements. Ensuring reliable data collection methods and addressing potential errors can increase the validity and credibility of efficiency analysis.

Conducting regular benchmarking between farms can provide valuable insight into best practices and areas for improvement. Farms can learn from each other's success stories and identify potential areas where they can increase their efficiencies. Financial rewards. tax incentives or grants may be provided to farms that meet certain efficiency criteria. Comparative studies with other regions or other countries can also provide valuable information about regional differences and best practices.

While increasing efficiency is important, it is equally important to promote sustainable practices in beef cattle farming. Promoting environmentally friendly approaches such as better waste management and responsible use of resources can help maintain ecological balance.

DOI: 10.22034/JAST.27.1.31

Downloaded from jast.modares.ac.ir on 2025-07-09

## CONCLUSIONS

Efficiency analysis in beef cattle farming plays a crucial role in understanding the performance and potential improvements of the farms. The use of DEA provides a valuable tool to evaluate efficiency, but it comes with certain assumptions and limitations, such as fixed and known input and output data. In practice, data may contain errors or variations, which can affect the accuracy of efficiency scores.

To address these issues, Bootstrap DEA offers a powerful solution by generating multiple resamples from the original dataset. This method allows researchers to estimate the uncertainty associated with efficiency scores and rankings, providing a more comprehensive understanding of the reliability and robustness of efficiency estimates. Moreover, Bootstrap DEA allows for the comparison of different efficiency models, enabling researchers to select the most appropriate approach for their specific analysis.

In this study that focused on beef cattle farming in Izmir Province, the Bootstrap DEA results revealed the efficiency levels of the studied farms under CRS assumption. The majority of farms demonstrated high to very high efficiency, with some differences between the two assumptions. These findings indicate that the beef cattle farms in Izmir have the potential for improvement, especially in terms of reducing input usage.

The study also employed truncated regression to model the relationship between the corrected efficiencies and the influencing variables. The results highlighted the negative impact of union membership on efficiency. Conversely, the number of fattening period per year positively influenced efficiency. Also, big farms were less efficient than small ones: farms in Buca District were less efficient than those in Odemis District, and farms that fattened old cattle were less efficient than those that fattened young cattle. By identifying these factors, the study provides valuable insights for improving efficiency in beef cattle farming.

This study has shown the efficiency of beef cattle farming in the Izmir Province through the utilization of Bootstrap DEA and truncated regression. The findings can contribute to the literature on agricultural efficiency and can serve as a basis for developing more targeted and effective policies to enhance the performance of beef cattle farms.

## ACKNOWLEDGEMENTS

This study was supported by the Ege University Scientific Research Projects Commission.

#### REFERENCES

- Bogetoft, P. and Otto, L. 2011. Data Envelopment Analysis DEA. In: "Benchmarking with DEA, SFA, and R". Int. Series in Operations Res. and Management Sci., Vol 157, Springer, New York, NY, 165 PP.
- Behr, A. 2015. Production and Efficiency Analysis with R. E-Book ISBN: 978-3-319-20502-1, Springer, Cham, 227 PP.
- 3. Ceyhan, V. and Hazneci, K. 2010. Economic Efficiency of Cattle-Fattening Farms in Amasya Province, Turkey. J. Anim. Vet. Adv., 9(1): 60-69
- Demirkol, C. and Aydin, B. 2021. Efficiency Analysis in Organic Cattle Fattening Enterprises in Turkey: Case of Ayvacık District of Çanakkale Province. J. Custos e Agronegocio, 17(2): 170-192.
- Erkus, A., Bulbul, M., Kiral, T., Acil, A. F. and Demirci, R. 1995. *Agricultural Economics*. Publication No: 5, Ankara Univ. Fac. of Agr. Education Research and Development Foundation, Ankara.
- Farrell, M. J. 1957. The Measurement of Productive Efficiency. J. R. Stat. Soc. Ser. A, 120(3): 253-290.



- Finneran, E. and Crosson, P. 2013. Development of a Benchmarking System for Irish Beef Farms Using Data Envelopment Analysis. 19<sup>th</sup> Int. Farm Manag. Cong., SGGW, Warsaw, Poland, 1:1-8
- Fleming, E., Fleming, P., Griffith, G. and Johnston, D. 2010. Measuring Beef Cattle Efficiency in Australian Feedlots: Applying Technical Efficiency and Productivity Analysis Methods. J. Aust. Agribus. Rev., 18: 43-65.
- Gabdo, B. H., Ja'afar-Furo, B. H., Hamid, M. Y. and Thlaffa, Y. A. 2020. Estimation of Technical Efficiency of Cattle Feedlot System in Adamawa State, Nigeria: Comparison Among Estimators. J. Agric. Sci. Technol., 12(1): 24-30.
- Gozener, B. and Sayili, M. 2012. Economic Analysis and Technical Efficiency of Cattle Breeding Enterprises in TR83 Region. Publication No: 247, Agricultural Economics and Policy Development Institute, Ankara.
- Isgin, T., Ozel, R., Bilgic, A., Florkowski, W. J. and Sevinc, M. R. 2020. DEA Performance Measurements in Cotton Production of Harran Plain, Turkey: A Single and Double Bootstrap Truncated Regression Approaches. J. Agric., 10(4): 1-17.
- Kumbhakar, S. and Lovell, K. 2000. Stochastic Frontier Analysis. Cambridge University Press, Cambridge, UK. 333 PP.
- MAF (Ministry of Agriculture and Forestry). 2023a. General Directorate of Livestock Records. https://www.tarimorman.gov.tr/sgb/Belgele r/SagMenuVeriler/HAYGEM.pdf
- 14. MAF (Ministry of Agriculture and Forestry). 2023b. Izmir Provincial Directorate Records. https://Izmir.tarimorman.gov.tr/Belgeler/Bri fing%202022.pdf
- MFAL (Ministry of Food, Agriculture and Livestock), 2013. *Izmir Provincial* Directorate Records.

http://cey.Izmirtarim.gov.tr/tarveri/tar%C4 %B1msalyap%C4%B1/2012/index

- Miran, B. 2021a. *Applied Econometrics*. Google Books, Mountain View, CA, USA, 750 PP.
- Miran, B. 2021b. *Productivity and Efficiency Analyzes*. Google Books, Mount. View, USA, 395 PP.
- Musliu, A., Behluli, B., Fazliu, B., Dibrani, Y., Kokolli S., Gashi, L. 2023. Production Efficiency Estimation of Kosovo Beef Fattening Farms. *Bulg. J. Agric. Sci.*, 29(2): 243–247.
- Newbold, P. 1995. Statistics for Business and Economics. Prentice Hall, New Jersey, 963 PP.
- Otieno, D. J., Hubbard, L. and Ruto, E. 2012. Determinants of Technical Efficiency in Beef Cattle Production in Kenya. *International Association of Agricultural Economists (IAAE) Triennial Conference*, 18-24 August, Foz do Iguacu, Brazil.
- Özden, A. and Armagan, G. 2014. Efficiency Analysis on Cattle Fattening in Turkey. J. Vet. Med. Zoot., 67(89): 88-93
- Rakipova, A. N., Gillespie, J. M. and Franke, D. E. 2003. Determinants of Technical Efficiency in Louisiana Beef Cattle Production. J. ASFMRA, 66: 99-107.
- Ruiz, D. E. M., Sempere, L. P., MartõÂnez, A. G. Alcaide, J. J. R., Pamio, J. O., Blanco, F. P. and GarcõÂa, V. D. 2000. Technical and Allocative Efficiency Analysis for Cattle Fattening on Argentina Pampas. J. Agric. Syst., 65: 179-199.
- Serin, T., Radam, A., Shamsudin, M. N. and Mohamed, Z. 2008. The Efficiency of Beef Cattle Production: A Case Study in the Target Area of Concentration in Johor, Malaysia. J. Econ. Technol. Manag. Rev., 3: 57–74.
- Simar, L. and Wilson. P. 2007. Estimation and Inference in Two-Stage Semiparametric Models of Production Processes. J. Econom., 136: 31–64.
- 26. Trestini, S. 2006. Technical Efficiency of Italian Beef Cattle Production Under a Heteroscedastic Non-Neutral Production

27. Umar, A. S. S., Omolehin, R. A. and Shettima1, B. G. 2014. Scale Efficiency and its Determinants of Cattle Fattening Enterprise in Borno State, Nigeria. *Int. J. Asian Afr. Stud.*, **4:** 107-111.

# تجزیه و تحلیل کارایی مزارع گاو گوشتی با استفاده از تحلیل داده پوششی بوت استرپ (Bootstrap Data Envelopment ) در منطقه ازمیر ترکیه

## نورسل كويبنبه

# چکیدہ

این پژوهش با هدف تعیین سطح کارایی (راندمان) مزارع گاو گوشتی در استان ازمیر و شناسایی عوامل موثر بر کارایی آنها با استفاده از تحلیل داده پوششی بوت استرپ (BDEA) انجام شد. این مطالعه ۶۲ مزرعه را پوشش می دهد که در پنج منطقه مختلف ازمیر مشغول به پرورش گاو گوشتی هستند. نتیجه انجام BDEA برای پرورش گاو گوشتی این بود که تجزیه و تحلیل باید با فرض بازگشت ثابت به مقیاس (CRS) انجام شود. میانگین راندمان ورودی تصحیح شده CRS پس از بوت استرپ ۹۰. بود. با توجه به نتایج تحلیل رگرسیون کوتاه ( input) ورودی تصحیح شده CRS پس از بوت استرپ ۱۹. بود. با توجه به نتایج تحلیل رگرسیون کوتاه ( input) ورودی تصحیح شده CRS پس از بوت استرپ ۹۰. بود. با توجه به نتایج تحلیل رگرسیون نقداد دوره های پرواربندی در سال مشاهده شد. از سوی دیگر، مشخص شد که عضویت در اتحادیه از نظر آماری تاثیر منفی و معناداری بر کارایی داشت. علاوه بر این، مزارع بزرگ نسبت به مزارع کوچکتر کارآیی پایین تری داشتند، مزارع در ناحیه بوکا( Buca) کارایی کمتری نسبت به مزارع در منطقه اودمیس ( Odemis) نتیجه، مزارعی که گاوهای پیر را پروار می کردند کارایی کمتری نسبت به مزارع در منطقه اودمیس ( odemis) نتیجه، مزارعی که گاوهای بر ایرای مدت کوتاه تری پروار می کنند، مزارعی در منطقه اودمیس ( odemis) در نتیجه، مزارعی که گاوهای بیر را پروار می کردند کارایی کمتری نسبت به مزارع در منطقه اودمیس ( odemis) در سری کنید. و مزارعی که گاوهای بیر را پروار می کردند کارای کمتری نسبت به مزارع در مانوا داشتند. در نتیجه، مزارعی که گاوهای بیر را پروار می کردند کارای کمتری نسبت به مزارع در منطقه اودمیس ( odemis) در سری کنید، و مزارعی که گاوهای بوان را پروار می کنند، به ازای هر واحد نهاده مصرفی، خروجی بالاتری به نمی کنند، و مزارعی که گاوهای جوان را پروار می کنند، به ازای هر واحد نهاده مصرفی، خروجی بالاتری به در سری می کنند، مزارعی که تعداد دام ها را خیلی زیاد نمی کنند، و مزارعی که گاوهای جوان را پروار می کنند، به ازای هر واحد نهاده مصرفی، خروجی بالاتری به