

An Extension Model Compatible with Drought Management in Iran

Jalal Mahmoodzadeh¹, Mohammad Sadeq Sabouri^{1*}, Mehrdad Niknami¹, Elham Danaee¹

Abstract

The main purpose of this research was to design an extension model that is compatible with drought management in Iran. The research utilized a mixed research approach, combining both qualitative and quantitative methods. In the qualitative section, data was collected through semi-structured interviews, observation, and review of relevant sources. The participants in this section were 15 of extension experts with significant experience in drought management, selected through purposeful and snowball sampling methods. The data was analyzed using the systematic grounded theory approach with MAXQUDA10 software, following Strauss and Corbin's (1998) approach. In the quantitative section, the statistical population included experts, trainers, and professors whose field or organizational post is related to water resources, irrigation and drainage, Agricultural extension and development and drought which working full-time in the Ministry of Agricultural Jihad (N=6018). The sample size was determined using Cochran's formula, with a total of 372 participants. Structural equation modeling (SEM) and PLS software were used for data analysis. The results showed that the main components of the model were the detailed requirements of drought management (coefficient of 0.013), extensional methods of drought management (0.033), contextual conditions (0.1011), supporting conditions (0.166), conditions and causes (0.102), and consequences of drought management (0.065). Finally, an extension model compatible with drought management in Iran was presented.

Keywords: drought management, extension model, adaptation. Supporting conditions Contextual conditions

Introduction

Drought is an extreme climatic phenomenon that occurs throughout the world, especially in arid and semi-arid regions, with different intensities and leaves harmful effects on surface and underground water resources, agriculture, economy, and generally all aspects of life. Given Iran's location in the arid and semi-arid belt of the world, it is crucial to study drought as a widespread

¹ Department of Agricultural Extension and Education, Garmsar Branch, Islamic Azad University, Garmsar, Islamic Republic of Iran.

*Corresponding author; e-mail: sabouri6930@gmail.com

30 natural disaster with long-term effects in different sectors (Kheyri et al., 2021). It can be said that
31 drought is a climatic reality in Iran, considering that 27 droughts have occurred in this country over
32 the last 40 years (Zarafshani et al., 2016). Drought and its undesirable consequences for natural
33 resources, agricultural production, and economic and social development are some of the
34 fundamental challenges of Iran and drought-prone regions, and considering the frequency and
35 significant extent of its occurrence, it is essential to implement directional mechanisms to
36 counteract it (Savari & Skandari Damaneh, 2020; Solh & Van Ginkel, 2014). According to a UN
37 report, 18 countries in the world will face water shortages in the near future, and it is predicted that
38 more than two-thirds of the world's population will be in severe water shortage conditions by 2025
39 (Pozzi et al., 2013; Shabanali Fami et al., 2020). These disasters are partially caused by climate
40 change (Rahman & Alam, 2016), and developing countries are more strongly affected by their risks
41 than other regions due to deficient knowledge and adaptation to this phenomenon (Xenarios et al.,
42 2016). The main climatic problem of dry areas is not the drought itself but the attitude toward it as
43 an ordinary natural phenomenon and the lack of regulation of various water programs and uses
44 based on that attitude (Khorambakht et al., 2013). Due to its biological nature and strong
45 dependence on nature, agriculture is the largest consumer of water resources in most countries. In
46 Iran approximately, 88% of water resources are used in agriculture (Pouralimoghaddam, 2022).
47 Rural communities always face many effects of drought, including economic and social problems,
48 which should not be underestimated, and a comprehensive approach is required to mitigate these
49 impacts and achieve successful adaptation (Kiem & Austin, 2013).

50 It is undeniable that various factors contribute to the occurrence of drought. On the other hand,
51 it is beyond human capabilities to make changes or interventions in these factors to prevent them.
52 Nevertheless, measures can be taken in different dimensions to cope with and reduce the negative
53 consequences of drought. Water-intensive agriculture has suffered significant damage, resulting in
54 the losses and degradation of rangelands and pastures and the decline in livestock numbers and
55 productivity (FAO, 2017). Economically, drought imposes an annual loss of, on average, 6-8
56 billion USD globally, with adverse effects on farmers' revenue (production quantity and quality)
57 being the most significant risk (Mardy et al., 2018). Consequently, it can be inferred that drought
58 substantially threatens agriculture-based communities (Campbell et al., 2011; Fanni et al., 2016),
59 impacting the productive, economic, social, and environmental sectors (Naderi & Karami
60 Dehkordi, 2019). Various studies have indicated that drought has numerous social effects,

61 including reduced social welfare, physical and mental health decline, increased social isolation,
62 heightened conflicts, decreased trust and cohesion, lowered social capital, increased suspicion
63 toward governmental institutions, longer working hours, decreased leisure time, increased divorce
64 rates, and destabilized family systems, posing a fundamental challenge to farmers' livelihood
65 stability (Keshavarz & Karami, 2010; Keshavarz et al., 2013). Therefore, communities exposed to
66 drought are vulnerable to a lower standard of living (De Silva & Kawasaki, 2018). In this regard,
67 improving farmers' capacity in areas like adaptation and resilience in climatic conditions is
68 necessary to sustain livelihoods (Alam et al., 2016), along with strategies for adapting to water
69 scarcity and drought conditions (Yazdanpanah et al., 2015). In this context, the overall objective
70 of this research was to design a model of extension compatible with drought management in Iran.

71 Climate and environmental changes significantly impact the livelihoods of communities,
72 especially in rural areas, and affect agricultural activities in different ways (Shakouri and Merseli,
73 2018). Therefore, farmers need to adopt behaviors compatible with the impacts of climate change
74 to protect their livelihoods (Savari & Eskandari Damaneh, 2019) and minimize the adverse effects
75 of these changes (Nilsen et al., 2012). Adaptation strategies consist of mainly medium- and long-
76 term measures that farmers employ to improve the resilience of their farming units to drought-
77 induced stresses (Ghambarali et al., 2012). Adaptation strategies are defined in risk management
78 and crisis management (Kheyri et al., 2021; Tavakoli et al., 2015). In general, they encompass
79 individual, economic, social, environmental, and institutional dimensions, which directly and
80 indirectly affect agricultural production in both predictable and unpredictable ways (Smit &
81 Pilifosova, 2003; Deressa, 2010; Ommani, 2011; FAO, 2012; Gomez et al., 2012; Feola et al.,
82 2015). Therefore, in agricultural and rural areas, it is impossible to rely solely on agriculture to
83 maintain production or improve people's lives. Instead, a wide range of drought adaptation
84 strategies must be chosen (Thieme, 2006).

85 In order to face the effects of drought, farmers need to be empowered in various economic,
86 social and technical dimensions, and in this regard, it seems that educational and extensional
87 activities can be implemented to improve drought management by farmers (Arayesh, 2009).
88 Agricultural extension services not only provide information on various aspects of items mentioned
89 but help secure agricultural related services from banks, organizations and companies. The most
90 important functions of agriculture extension services, however, are transfer of technologies and
91 agricultural education of farmers to equip them with sufficient and suitable alternatives and

92 solutions and place them in a decision making (Al-Zahrani et al., 2016). Optimal management,
 93 extension, and appropriate use of water in agriculture is essential. Agricultural education experts
 94 should implement, extensional programs to combat water scarcity at the national and provincial
 95 levels. These programs should cover producers of agricultural and horticultural products, as well
 96 as the implementing agents. By increasing knowledge and skills among producers and
 97 implementing agents, we can increase the efficiency of water resources and improve the quantity
 98 and quality of production in farms and orchards (Rahimian, 1395). One of the main challenges
 99 faced by water conservation experts is the lack of improvement in water management, particularly
 100 in irrigation, as well as the absence of proper organizations for farmers to promote their use of
 101 water. This is due to the farmers' lack of awareness about the water crisis and their disregard for it,
 102 as well as the insufficient knowledge of extension experts in providing effective plans. The low
 103 efficiency of irrigation in agricultural lands is also a result of the lack of timely and effective
 104 extension, leading to the waste of floodwaters. Furthermore, the absence of integrated water
 105 resource management plans in the watershed, and the lack of appropriate farming patterns in
 106 accordance with the sustainable capacity of water resources in the region, are also attributed to the
 107 lack of extension experts' knowledge. Additionally, the lack of awareness among beneficiaries
 108 about modern methods and the absence of specialized and knowledgeable experts in this field are
 109 also major issues (Hoseinzad et al., 1392). Therefore, presenting an extensional model for irrigation
 110 management and better coping with the drought in Iran, which leads to improved irrigation
 111 management, increased irrigation efficiency, and improved agricultural development, is of great
 112 importance. Table 1 provides a summary of studies regarding a extension and drought
 113 management.

114
 115 **Table 1.** A summary of influential variables in a model of extension compatible with drought crisis
 116 management.

Research Title	Author	Method	Findings
Investigating the social consequences of drought on rural areas (case study: Shosef district, Nehbandan city)	Fal Suleiman et al. (2013)	Survey	In the environmental dimension, drought causes the drying up of surface water, the destruction of vegetation, and an increase in dust. In the economic aspect, the income level has decreased, the unemployment rate has increased, and agricultural and livestock production has decreased.
Extension pattern compatible with drought management in Razavi Khorasan Province, Iran	Mousavi et al. (2021)	Qualitative	Extension compatible with drought management requires cooperation and coordination between different institutions and organizations, and educational and extensional programs can significantly improve drought management.
Extension pattern compatible with drought management in Alborz province, Iran	Firouzjani (2018)	Qualitative	Planning, development, and implementation of water resources and drought management plans for each region should be based on the conditions and resources available in

Research Title	Author	Method	Findings
Development of extension pattern for drought management in Iran	Rahimi et al. (2019)	Qualitative	that region. It is also essential to educate and promote concepts related to drought management. Drought management requires the development of suitable extension models. Improving the awareness and capability of the society and water users in the field of drought management is one of the main success factors in the implementation of extensional models.
extension management using new media	Azari et al. (2017)	Qualitative	Teaching and extension the concepts related to drought management helps improve the awareness of society and farmers, improving drought management in Iran.
The perception of soil erosion and its social and economic factors in different regions of Sri Lanka.	Udayakumara et al. (2010)	Survey	agricultural workforce, household size, literacy rate, property security, conservation costs, promotional education, membership in local organizations, professional skills, financial capital, distance to land, and farm income are all important factors in understanding soil erosion in the studied region.
Drought management planning policy: from Europe to Spain	Hervás-Gámez & Delgado-Ramos (2019)	Qualitative	A key milestone in terms of European drought-risk management was set by the 2007 EC Communication “Addressing the Challenge of Water Scarcity and Droughts in the European Union”. This presented an initial set of seven policy instruments for tackling water scarcity and drought issues at European, national, and regional levels. These included options in relation to ‘putting the right price tag on water’, ‘allocating water more efficiently’, and ‘fostering water efficient technologies and practices’. The Communication also recommended the development of DMPs.
The Impacts of Drought and the Adaptive Strategies of Small-Scale Farmers in uMsinga, KwaZuluNatal, South Africa	Lottering et al.(2021)	Survey	Farmers adopted various adaptive strategies to adapt to drought such as the use of early-maturing crops, mixed cropping systems and drought-tolerant crops. With regard to mitigation, a majority of farmers did not prepare for drought, and those who did utilized indigenous methods of conserving water such as rainwater harvesting, the use of wells, and migrating for alternative employment.
Assessing agricultural drought management strategies in the Northern Murray–Darling Basin	Aitkenhead et al.(2021)	Qualitative	Government Assistance is the most used ADMS for Paroo Shire, the Maranoa Region and Murweh Shire, Whereas the MDB Plan is mainly used in the Goondiwindi Region.

117

118 Materials and Methods

119 This study used a cross-sectional methodology and a survey to gather descriptive data for a
 120 practical goal. Employing a mixed approach, incorporating both quantitative and qualitative
 121 methods (Johanson and Onwuegbuzie, 2004). In the initial stage of this research, data collection
 122 methods included semi-structured interviews, observation, and review of relevant sources. The
 123 systematic grounded theory with MAXQUDA10 software was used for data analysis and using
 124 Strauss and Corbin (1998) approach. For coding which includes three stages of coding: open
 125 coding, axial coding and selective coding (Lee, 2001; Creswell and Creswell, 2017). The
 126 qualitative section of the study included a sample of 15 senior experts and academic members with
 127 practical and scientific experience in drought (Table 2). They were selected using purposeful and
 128 snowball sampling methods.

129 **Table 2.** Frequency distribution of demographic and professional characteristics of the studied
130 people.

Characteristic	Strata	Abundance
Age Average = 48.36	<30	1
	40-31	3
	50-41	6
	60-51	5
Gender	Man	12
	Female	3
Educational level	Master's degree	4
	PhD	11
Field of study	Water and irrigation	5
	Agriculture extension	7
	agricultural development	3

131
132 Second stage, in this section Confirmatory factor analysis, structural equation modeling and
133 Smart-PLS software employed. For this analyze, the statistical population consisted of 6018.
134 Experts, trainers, and faculty members whose field or organizational post is related to water
135 resources, irrigation and drainage, drought, Agricultural extension and development sciences
136 which were employed full-time in the Ministry of Agriculture Jihad in Iran. The statistical sample
137 was determined using Cochran's formula. The number of samples was determined to be 372 experts
138 (Table 3). Sampling method was Stratified Sampling

139 **Table 3:** The number of samples in each of the three fields.

category	statistical population	Sample size
Experts	4390	271
Trainers and researches	930	57
faculty members	698	43
total	6018	372

140
141 **Validity and Reliability**

142 Guba, & Lincoln 1985 method was used to check reliability and validity. The indexes used were
143 Dependability and Transferability. Based on this, re-coding was done in two different time periods
144 and two other researchers were used. Based on the results, the Dependability index was 74% and
145 the Transferability index was 71%. Considering that it was more than 60%, it can be said that the
146 indicators had a favorable condition.

147 Confirmatory factor analysis was used within the SEM framework to assess the proposed
148 model's validity (Nunnally & Bernstein, 1994, cited in Hosseinizare, 2017). To examine the
149 reliability of the questionnaire, a pilot study was conducted with non-sampled respondents to make

150 necessary revisions. The reliability or confidence level of the variables was estimated by
151 Cronbach's alpha coefficient (Table 4).

152 **Table 4.** Cronbach's alpha coefficient for questionnaire factors.

Row	variables	Number of items	Cronbach's alpha coefficients
1	management before drought	15	0/691
2	management after drought	11	0/701
3	management during drought	11	0/630
4	Extension system adapted to drought	13	0/941
5	Supportive policies	9	0/832
6	Consequences of drought	17	0/852
7	disseminational and educational methods	12	0/754
8	Causal conditions	14	0/775
9	Contextual conditions of drought	12	0/811

153
154 **Research findings**
155 Examining the age of the responders showed that the highest frequency (36%) was related to
156 the age group of 41-50 years. Also, 284 (76.3%) of the responders were male (the highest
157 frequency), and 88 (23.7%) were female. In terms of the educational level, the highest frequency
158 was related to the master's degree with a frequency of 194 (52.2%). Among the study fields,
159 agricultural engineering had the highest frequency of 165 people (44.3. Regarding experience, the
160 highest frequency was related to 11-15 years with a frequency of 136 (36.5%. (Table 5).

161
162 **Table 5.** Frequency distribution of demographic and professional characteristics of the studied
163 people.

Characteristic	Strata	Abundance	Percent	Cumulative percentage
Age n=372 Average = 40.46	20-30	79	3.21	3.21
	40-31	93	25	3.46
	50-41	134	36	3.82
	60-51	66	7.17	100
Gender n=372	Man	284	3.76	Mode = man
	Female	88	7.23	
Educational level Mode = Master's degree	Bachelor's degree	60	1.16	1.16
	Master's degree	194	2.52	3.68
	Ph.D.	118	7.31	100
Field of study n=218	Science	55	8.14	
	Agricultural engineering	165	3.44	Mode = Agriculture
	Humanities	73	6.19	
	Other	33	9.8	
Work experience n=218 Average = 12.99	5-1	6	1.6	1.6
	6-10	75	20.2	21.8
	11-15	136	36.5	58.3
	16-20	123	33.1	91.4
	21-25	14	3.8	95.2
	26-30	15	4.8	100

164 In the structural equation model methodology, it is first necessary to study the validity of the
 165 structure in order to determine whether the indicators selected to measure the desired structures
 166 have the necessary accuracy. That is, have the questions to measure the variables been chosen
 167 correctly or not? For this purpose, confirmatory factor analysis (CFA) is used. In this method, the
 168 factor load of each indicator with its structure must be higher than 0.4. Factor loadings were
 169 calculated by measuring the correlation between indicator and connected construct. This suggests
 170 acceptable reliability regarding the measurement model (Table 6).

171
 172 **Table 6.** Factor loadings under the modified components of the extension drought management
 173 model.

Factors	Manifesting variable	Factor loading
Contextual conditions	The presence of weather and climate information centers	0.731
	Information capacity of agricultural service centers	0.525
	The existence of agricultural and irrigation cooperatives	0.498
	The existence of training centers in the field of drought management	0.494
	Agriculture to financial resources	0.493
	Insensitivity of people and social networks	0.802
	Unauthorized exploitation of water resources	0.462
Causal conditions	The government's insensitivity to the issue	0.460
	Low level of education	0.455
	Weak financial base of farmers	0.447
Intervening conditions	Weakness of water infrastructure	0.408
	Crop insurance coverage	0.675
	Guaranteed purchase of agricultural products	0.671
	Investing in the infrastructure of irrigation networks	0.569
	Water pricing and sale	0.536
	Granting loans and free facilities	0.448
	Effective monitoring of the license of agricultural wells	0.447
dissemination variables	Supporting organizations and cooperative companies in the water sector	0.424
	Considering and measuring the educational- dissemination needs of farmers	0.612
	Using radio and television agricultural programs (mass media)	0.583
	Holding educational workshops	0.569
	Using dissemination personal messengers	0.558
	Using the Internet and virtual networks	0.516
	Visiting new irrigation systems	0.506
Consequences	Increase in fake jobs	0.905
	Reduction of cultivated area	0.903
	Decrease in income	0.808
	Insecurity	0.795
	Increase in input prices	0.790
	Reducing the price of agricultural land	0.730
	Decrease in production	0.713
	Decreased quality of life	0.707
	Decrease in welfare	0.598
	Reduction of local communication among people	0.591
	Increase in unemployment rate and immigration	0.582
Requirements for extension drought management	Assessing the educational- dissemination needs of farmers	0.842
	Providing extension specialist human resources	0.652
	Reforming the organizational structures of extension	0.591
	Reforming the financial structures of extension organizations	0.462
	Increasing the professional qualifications of extension agents	0.411

174 After ensuring the existence or non-existence of a causal relationship between the research
 175 variables and checking the appropriateness of the observed data with the conceptual model, the
 176 research hypotheses were also tested using SEM (the PLS approach). Table 7 and 8 depict the
 177 results of running model, and Tables 11 present the results of testing the hypotheses.

178 Table 7 shows the values of R^2 that represent the explained variance. Based on this, supporting
 179 conditions with a coefficient of 0.16 has the greatest effect and Consequences of drought with a
 180 coefficient of 0.06 has the least effect of Drought management. The total variables have explained
 181 0.15 of the variance of the dependent variable.

182
 183 **Table 7.** The measurement of the main model and the results of the hypotheses in the standard
 184 mode.

Variable	R ²	Path coefficient
Drought management (the dependent variable)	0.155	-
Detailed requirements of drought management	0.00	0.013
Extensional methods of drought management	0.00	0.033
Contextual conditions	0.00	0.1011
Supporting conditions	0.00	0.166
Conditions and causes	0.00	0.102
Consequences of drought	0.00	0.065

185
 186 The values listed in Table 8 shows the T values. For each factor to be significant, the value of
 187 T should be significant at the error level of 0.05, that is, if its value is outside the range (1.96 and -
 188 1.96), the effect of this component is significant. Based on the listed results, all paths are significant
 189 (Table 8).

190
 191 **Table 8.** The measurement of the original model and the results of the hypotheses in the standard
 192 mode.

Variable	T values
Drought crisis management (the dependent variable)	-
Detailed requirements of drought crisis management	4.874
Extensional methods of drought crisis management	2.207
Contextual conditions	2.094
Supporting conditions	4.661
Conditions and causes	4.812
Consequences of drought	2.029

193
 194 The table 9 shows the factor loading values to answer the question of whether the questions to
 195 measure the variables are chosen correctly or not. To have the appropriate accuracy, the factor
 196 loading should be higher than 0.4. Based on the results listed in Table 9, most factor loadings are
 197 greater than 0.4.

Table 9. The measurement of the final model in the standard mode.

Variable	Sign	Factor loading	Correlation coefficient
Drought management (the dependent variable)	Critical	1.00	--
Extensional methods of drought crisis management	M1	0.498	0.560
	M2	0.569	
	M3	0.612	
	M4	0.320	
	M5	0.506	
	M6	0.516	
	M7	0.622	
	M8	0.715	
	M9	0.573	
	M10	0.396	
	M11	0.583	
	M12	0.658	
Contextual conditions	AR1	0.407	0.170
	AR2	0.525	
	AR3	0.494	
	AR4	0.731	
	AR5	0.498	
	AR6	0.557	
	AR7	0.435	
	AR8	0.677	
	AR9	0.671	
	AR10	0.438	
	AR11	0.508	
	AR12	0.493	
Supporting conditions	MD1	0.571	0.167
	MD2	0.675	
	MD3	0.424	
	MD4	0.447	
	MD5	0.669	
	MD6	0.538	
	MD7	0.448	
	MD8	0.420	
	MD9	0.497	
Causal conditions	F1	0.460	0.440
	F2	0.802	
	F3	0.447	
	F4	0.455	
	F5	0.462	
	F6	0.408	
	F7	0.505	
	F8	0.446	
	F9	0.477	
	F10	0.471	
	F11	0.461	
	F12	0.595	
	F13	0.584	
	F14	0.776	
Consequences	CH1	0.808	0.001
	CH2	0.906	
	CH3	0.591	
	CH4	0.571	
	CH5	0.795	
	CH6	0.707	

	CH7	0.490
	CH8	0.682
	CH9	0.733
	CH10	0.598
	CH11	0.713
	CH12	0.903
	CH13	0.510
	CH14	0.833
	CH15	0.742
	CH16	0.601

199
 200 Table 10 shows the T values of the indicators used for the structures. For each indicator to be
 201 significant, the value of t is significant at the error level of 0.05, that is, its value is outside the
 202 range (1.96 and -1.96), and then this indicator correctly measures the desired component. Based on
 203 the results shown in Table 10, all the indicators used are significant.

204
 205 **Table 10.** The measurement of the final model and the results of the hypotheses in the significant
 206 state.

Variable	Sign	T value	Correlation coefficient
Drought management (dependent variable)	Critical	1.00	--
Extensional methods of drought management	M1	3.463	2.428
	M2	3.552	
	M3	3.877	
	M4	3.285	
	M5	2.485	
	M6	2.270	
	M7	2.706	
	M8	2.592	
	M9	2.272	
	M10	2.928	
	M11	3.862	
	M12	0.588	
Contextual conditions	AR1	2.681	2.248
	AR2	2.329	
	AR3	4.399	
	AR4	2.270	
	AR5	2.168	
	AR6	3.043	
	AR7	3.359	
	AR8	2.866	
	AR9	2.678	
	AR10	2.176	
	AR11	3.327	
	AR12	2.027	
Supporting conditions	MD1	3.523	2.931
	MD2	2.329	
	MD3	3.983	
	MD4	3.399	
	MD5	2.844	
	MD6	2.206	
	MD7	3.305	
	MD8	4.597	

Causal conditions	MD9	2.346	3.719
	F1	3.038	
	F2	3.141	
	F3	2.211	
	F4	3.997	
	F5	2.010	
	F6	3.933	
	F7	2.160	
	F8	4.757	
	F9	2.960	
	F10	3.951	
	F11	2.110	
	F12	2.160	
	F13	1.035	
Consequences	F14	2.138	2.008
	CH1	4.044	
	CH2	3.634	
	CH3	3.107	
	CH4	2.760	
	CH5	3.137	
	CH6	2.682	
	CH7	2.161	
	CH8	2.935	
	CH9	2.751	
	CH10	2.557	
	CH11	3.358	
CH12	3.747		
CH13	2.213		
CH14	4.112		
CH15	3.512		
CH16	2.811		

207
 208 The effect of the independent variable on the dependent variables is depicted in Table 11. The
 209 significance coefficient (t-statistic) of the output model of SEM was used to test the research
 210 hypotheses. If the t-statistic was more than 1.96 or less than -1.96 (with a 5% error level), the
 211 hypotheses would be confirmed, and the significant effect of the variable would be achieved. It can
 212 also be seen in the measurement model that the factor coefficient for each variable is higher than
 213 the value of 0.50%. Table (11) presents a summary of the results of hypothesis testing.

214 **Table 11.** A summary of hypotheses testing results.

Hypotheses	Path coefficient	Significance coefficient	Result
Main hypothesis: Drought-adapted extension requirements affect agricultural drought management.	0.113	4.874	Confirmed
The first hypothesis: Extension methods affect the management of agricultural drought.	0.550	2.428	Confirmed
The second hypothesis: Contextual conditions affect the management of agricultural drought.	0.170	2.248	Confirmed
The third hypothesis: Causal conditions affect the management of agricultural drought.	0.440	3.719	Confirmed
The fourth hypothesis: The consequences of drought affect the management of agricultural drought.	0.001	2.008	Confirmed
The fifth hypothesis: Management policies affect the management of agricultural drought.	0.167	2.931	Confirmed

215 Table (12) presents composite reliability (CR), coefficient of determination (R^2), Cronbach's alpha,
216 communality values, and communal reliability (AVE) for the main components of the research.

217 **Table 12.** The general model's quality criteria.

Research components	Composite reliability (CR)	Coefficient of determination (R^2)	Cronbach's alpha	Communal values (Cummunality)	Shared reliability (AVE)
Methods of extension drought management	0.76	0.58	0.84	0.49	0.43
Support policies	0.80	0.54	0.82	0.41	0.46
Contextual conditions	0.59	0.74	0.75	0.45	0.49
Causal conditions	0.71	0.83	0.88	0.31	0.54
Consequences	0.64	0.55	0.90	0.42	0.52
Background conditions	0.75	0.71	0.79	0.27	0.48
Drought management	1	--	1	1	1

218
219 To check the model's fit in PLS, we used the global quality criterion proposed by Amato et al.
220 (2004).

221
$$GOF = \sqrt{communality \times R^2}$$

222 The index of fit of the general model (GOF) was 0.568%, so it can be accepted that the general
223 model of the research has a good fit. The high fit of the model shows that this model is well
224 explained (Table 13).

225 **Table 13.** The final model's fit

Index name	R^2	Communality
Methods of extension drought management	0.58	0.49
Consequences	0.63	0.52
Drought support policies	0.54	0.41
Background conditions	0.74	0.45
Causal conditions	0.83	0.31

226
227 **Discussion and Conclusions**

228 Agricultural sector requires specific adaptation to cope with water scarcity and drought
229 (Yazdanpanah et al., 2015; Delphian, 2016). To address this challenge, an extension model should
230 be designed based on local needs, culture, local language, and appropriate communication methods
231 in each region to mitigate the negative impacts of these changes (Ifeanvi-obi et al., 2012; Engle,
232 2011).

233 Due to the level of knowledge and low adaptation to the phenomenon of drought, developing
234 countries are more affected by the risks associated with it than other regions (Xenarios et. al., 2016).
235 There are many reasons for this, including the lack of access to water and extension specialists,
236 Lack of practical solutions for drought management and Lack of Extensional recommendations in

237 drought management Also, the results of studies indicate an increase in the number of droughts in
238 Iran (Firozi et al., 2019) In this case, there is a need for adaptation and drought management by
239 farmers (karimi and atai, 2022) .The decision-making process around adaptation is complex
240 (Bunham & Ma, 2016, Harmer & Rahman, 2014) and includes a wide and interconnected range of
241 socio-political, social and environmental factors. Weather, its intensity and the level of confidence
242 of farmers about receiving yield due to adaptation are closely related (Tucker et al., 2010; Anik et
243 al., 2012). Therefore, it is important to extension drought management methods with the
244 participation and cooperation of farmers. , which these methods include. People's participation in
245 the adaptation of drought management is one of the necessary things in the success of programs in
246 this field (Wani et al (2003). Blomley (2006) Ruiz-Malle'n et al., 2015). Publication of
247 magazines, brochures, books, guidelines and Extensional books, about new methods of irrigation
248 with traditional and old methods and comparing them in a demonstration for a group of farmers,
249 Holding extension meetings with the presence of water and extension experts, Extensional
250 exhibitions(New irrigation tools and methods) and, Extensional films and videos about new
251 irrigation methods , Farmers visits to the office of the Agricultural Extension Service, Visit of
252 agricultural extension workers to the farmers, Interaction with consulting service companies and
253 extension organizations (Al-Zahrani et al., 2016). These activities are aimed at addressing
254 informational and educational needs related to drought management (Harvey et al., 2014; Singh et
255 al., 2017; Tripathi & Mishra, 2017). Such as to create these conditions need to Existence of
256 extension specialists and access to them, Expansion of social networks and local networks to
257 disseminate information.

258 Also Formation of agricultural cooperatives and water bodies In order to create irrigation
259 groups, providing facilities in the field of extension services, Supportive policies in low water
260 consumption (Cheng & Tao, 2010; Eriksen & Silva, 2009; Keshavarz & Karami, 2013). It can help
261 a lot to establish a extension model that is compatible with the management of drought. In the end,
262 it can be said that the establishment of this extension model can include: Increasing the resilience
263 of farmers in dealing with drought, Access to meteorological and drought information, Access to
264 drought management information, increasing participation of farmers in drought management.

265 (Figure 1) shows Extension Model Co
266 mpatible with Drought Management in Iran.




Figure 1. The final research model of the extension model compatible with drought crisis management.

267
268
269
270
271
272

273 **Recommendations**

274 Based on the results, it is recommended to involve knowledgeable agricultural extension experts
275 in providing necessary training and technical advice to farmers. It will be helpful to establish
276 constructive communication between farmers and extension agents through social networks to
277 address existing water-related issues and convey them to relevant authorities for appropriate
278 solutions. Also, the importance of water and the impact of water scarcity challenges on economic,
279 social, and security sectors should be recognized. Additionally, it is necessary to prioritize this
280 issue as a fundamental strategy in the annual budget and Iran's Seventh Development Plan. Last
281 but not least importantly, it is recommended that the government support farmers through facilities
282 such as low-interest loans and subsidies to assist in implementing adaptation strategies and drought
283 management.

284

285 **References**

- 286 Abedi Sarvestani, A., Ghorbani, Kh., and Khaksar Moghadam, G. 2017. Investigating methods
287 of coping with drought by farmers (case study: Shirvan city, North Khorasan province). *Journal of*
288 *Geogr. Environ. Sustain.*, 8(3): 13-31.
- 289 Aitkenhead, I., Kuleshov, Y., Watkins, A. B., Bhardwaj, J., & Asghari, A. (2021). Assessing
290 agricultural drought management strategies in the Northern Murray–Darling Basin. *Natural*
291 *Hazards*, 109(2), 1425-1455.
- 292 Alam, G. M., Alam, K., & Mushtaq, S. 2016. Influence of institutional access and social capital
293 on adaptation decision: Empirical evidence from hazard-prone rural households in
294 Bangladesh. *Ecol. Econ.*, 130: 243-251..doi.org/10.1016/j.ecolecon.2016.07.012.
- 295 Al-Zahrani, K. H., Aldosari, F. O., Baig, M. B., Shalaby, M. Y., & Straquadine, G. S. (2016). Role
296 of agricultural extension service in creating decisionmaking environment for the farmers to realize
297 sustainable agriculture in al-qassim and al-kharj regions-saudi arabia. *Japs: Journal of Animal &*
298 *Plant Sciences*, 26(4).
- 299 Amato, P. R. 2004. Tension between institutional and individual views of marriage. *J. Marriage*
300 *and the Family*, 959-965.
- 301 Azadi, H., Verheijke, G., & Witlox, F. 2011. Pollute first, clean up later? *Glob Planet*
302 *Change.*, 78(3-4): 77-82.
- 303 Azari, H, Talebi, M., and Abri, M. (2017). Promoting concepts related to drought management
304 using new media. *J. Foreign Lang. Dev.. Learn*, 9(5), 101-112.
- 305 Bagheri, M. Nik Nami, M., Shabanali Femi, H. 2017. The role of agricultural extension in the
306 application of drought management operations (case study: Tafarsh city). *J. Desert Manage.*, 9:
307 46-57.
- 308 California Rice Commission. 2012. The Facts about California Rice Production. *Bringing Quality*
309 *Rice to the Markets of the World.*, (530): 473-2827.
- 310 Campbell, D., Barker, D., & McGregor, D. 2011. Dealing with drought: Small farmers and
311 environmental hazards in southern St. Elizabeth, Jamaica. *Appl Geog.*, 31 (1): 146-158.

- 312 Carey, C. 2008. E051 Governmental Use of Voluntary Standards Case Study 6: Kenya and the
313 KenyaGAP Standard for Good Agricultural Practice.
- 314 Chen, D., Wang, S., Cao, B., Cao, D., Leng, G., Li, H., & Deng, X. 2016. Genotypic variation in
315 growth and physiological response to drought stress and re-watering reveals the critical role of
316 recovery in drought adaptation in maize seedlings. *J. Frontiers in Plant Sci.*, 6, 1241.
- 317 Cheng, J., Tao, J.P. 2010. Fuzzy comprehensive evaluation of drought vulnerability based on the
318 analytic hierarchy process: an empirical study from Xiaogan City in Hubei Province. *Agric Agric
319 Sci Proced.*, 1: 126-135.
- 320 Creswell, J. W., & Creswell, J. D. (2017). *Research design: Qualitative, quantitative, and mixed
321 methods approaches*. Sage publications.
- 322 De Silva, M. M. G. T., & Kawasaki, A. 2018. Socioeconomic vulnerability to disaster risk: a case
323 study of flood and drought impact in a rural Sri Lankan community. *Ecolo. Econ.*, 152: 131-140.
324 doi.org/10.1016/j.ecolecon.2018.05.010.
- 325 Delphian, F., Yazdanpanah, M., Forozani, M., Yaghoubi, J. 2016. Investigating farmers'
326 management behaviors during drought as preventive responses (case study: Dehhran city). *J.
327 Spatial Analys. Nat. Hazards.*, 4(4) :79-92.
- 328 Deressa, T. T. 2010. *Assessment of the vulnerability of Ethiopian agriculture to climate change
329 and farmers' adaptation strategies* (Doctoral dissertation, University of Pretoria).
- 330 Desalegn, C. E., Babel, M. S., Gupta, A. D., Seleshi, B. A., & Merrey, D. 2006. Farmers'
331 perception of water management under drought conditions in the upper Awash Basin,
332 Ethiopia. *Int. J. Water Resour. Dev.*, 22(4): 589-602.
- 333 Engle, N.L. 2011. Adaptive capacity and its assessment. *Glob Environ Change.*, 21 (2): 647-656.
- 334 Eriksen, S., Silva, J.A. 2009. The vulnerability context of a savanna area in Mozambique:
335 household drought coping strategies and responses to economic change. *Environ Sci Policy.*, 12
336 (1): 33-52.
- 337 Fal Suleiman, M., Mekaniki, J., Senjeri, H. 2013. Investigating the social consequences of
338 drought on rural areas (case study: Shosef district of Nehbandan). *Khorasan Soc. Cult. Stud.*, 8(4):
339 111-127.
- 340 Fanni, Z; Khalilulallahi, H. A., Sajjadi, J., Fall Soleiman, M. 2016. Analysis of the causes and
341 consequences of drought in South Khorasan Province and Birjand". *J. Space Plan. Manage.*,
342 Tarbiat Modares University, 20 the period., 4: 175-200. [http://journals.modares.ac.ir/article-21-
343 4103-en.html](http://journals.modares.ac.ir/article-21-4103-en.html).
- 344 FAO, IFAD, UNICEF, WFP & WHO. 2017. The State of Food Security and Nutrition in the
345 World 2017. *Building resilience for peace and food secur*, Rome, FAO. Available at:
346 <http://www.fao.org/state-of-food-securitynutrition/en>.
- 347 FAO. 2012. Citrus fruit fresh and processed annual statistics.
- 348 Fatahi, M.H., Behrouzi, M. 2016. The application of water governance management model in
349 urban wastewater use planning by farmers. *J Urban Plan Dev.*, 8(31): 299-319.
- 350 Feola, G., Lerner, A. M., Jain, M., Montefrio, M. J. F., & Nicholas, K. A. 2015. Researching
351 farmer behaviour in climate change adaptation and sustainable agriculture: Lessons learned from
352 five case studies. *J. Rural Stud.*, 39: 74-84.
- 353 Firozjani, I. 2018. The extension model compatible with drought management in Alborz
354 province; Iran. *Water Resour. Manag.*, 15(2): 229-251.
- 355 Ghambarali, R; Popzan, A.; Afsharzadeh, N. 2012. Farmers' Viewpoints on Climate Change and
356 Adaptation Strategies (Case Study: Kermanshah County). *J. Rural Res.*, 3(3). doi :2012.
357 10.22059/JRUR.2012.29226.

- 358 Global GAP. 2013. The Global Gender Gap Report. *Committed to improving the Sate of the*
359 *World*. Insight report: 1-397.
- 360 Gomez, C. M. G., & Blanco, C. D. P. 2012. Do drought management plans reduce drought risk?
361 A risk assessment model for a Mediterranean river basin. *Ecol.Econ.*, 76: 42-48
- 362 Harvey, C.A., Rakotobe, Z.L., Rao, N.S., Dave, R., Razafimahatratra, H., Rabarijohn, R.H.,
363 MacKinnon, J.L. 2014. Extreme vulnerability of smallholder farmers to agricultural risks and
364 climate change in Madagascar, *Philos. Trans. R. Soc. Lond., B, Biol. Sci. PHILOS T R SOC B.*,
365 369: 1-12.
- 366 Hayati, D., Ranjbar, Z., & Karami, E. 2011. Measuring agricultural sustainability. *Biodiversity,*
367 *biofuels, agroforestry and conservation agric:* 73-100.
- 368 Heydari Sarban, V. 2011. Investigating the social and economic factors affecting the knowledge
369 of wheat farmers about agricultural water management (case study: Meshkinshahr city). *Agric.*
370 *Educ. Promot.Res.*, 4(4): 96-111.
- 371 Hosseinizare, N. and N., Saadati. 2017. *Quantitative and qualitative monitoring of Gregar river*
372 *in drought 87-86 in Khuzestan province*, first international conference on water crisis, Zabul, Zabul
373 University, Hamon International Wetland Research Institute
- 374 Hosseinzad, J. Kazimieh, F. Javadi, A. and Ghafouri, H. 2012 fields and Agricultural water
375 management mechanisms in Tabriz plain. *Danesh Journal*, 23(2), 85-98
- 376 Ifeanyi-Obi, C.C., Etuk, U.R., & Jike-Wai, O. 2012. Climate change, effects and adaptation
377 strategies; Implication for Agricultural extension system in Nigeria. *Greener J. Agric. Sci.*, 2 (2):
378 53-60.
- 379 IPCC, F. C. 2012. Managing the risks of extreme events and disasters to advance climate change
380 adaptation. *A special report of working groups I and II of the intergovernmental panel on climate*
381 *change:* 582.
- 382 Johnson, R. B., & Onwuegbuzie, A. J. (2004). Mixed methods research: A research paradigm
383 whose time has come. *Educational researcher*, 33(7), 14-26. . DOI: <http://dx.doi.org/10.3102/0013189X033007014>
- 384
- 385 Keshavarz, M., Karami, E. 2010. Structures affecting farmers' drought management and its
386 consequences (use of structural equation modeling). *JAST.*, 43(12): 267-283
- 387 Keshavarz, M., Karami, E. 2013. Institutional adaptation to drought: the case of Fars agricultural
388 organization. *J. Environ. Manage.*, 127:61- 68. DOI:10.1016/j.jenvman.2013.04.032
- 389 Keshavarz, M., Karami, E. and Vanclay, F. 2013. Social experience of drought in rural Iran. *Land*
390 *Use Policy.*, 30(1): 120-129. <https://doi.org/10.1016/j.landusepol.2012.03.003> .
- 391 Kheyri, R., Mojarrad, F., Masompour, J., & Farhadi, B. 2021. Evaluation of drought changes in
392 Iran using SPEI and SC-PDSI. *J. Spat. Plan.*, 25(1) :143-174.
- 393 Khorambakht, A.A., Moshiri, R., and Mahdavi, M. 2013. Evaluation of climatic drought
394 characteristics in Larestan region. *Region.Plan. Quarterly*, 4(13): 103-120.
- 395 Kiem, A. S., & Austin, E. K. 2013. Drought and the future of rural communities: Opportunities
396 and challenges for climate change adaptation in regional Victoria, Australia. *Glob Environ*
397 *Change.*, 23(5): 1307-1316.
- 398 Levidow, L., Zaccaria, D., Maia, R., Vivas, E., Todorovic, M., & Scardigno, A. 2014. Improving
399 water-efficient irrigation: Prospects and difficulties of innovative practices. *Agric. Water*
400 *Manag.*, 146: 84-94.
- 401 Li, G., Long, Z., Jiang, Y., Huang, Y., Wang, P., & Huang, Z. (2022). Entrepreneurship education,
402 entrepreneurship policy and entrepreneurial competence: mediating effect of entrepreneurship
403 competition in China. *Education+ training*, 65(4), 607-629. DOI: 10.1108/el.2002.20.2.159.6.

- 404 Lottering, S. J., Mafongoya, P., & Lottering, R. (2021). The impacts of drought and the adaptive
405 strategies of small-scale farmers in uMsinga, KwaZulu-Natal, South Africa. *Journal of Asian and*
406 *African Studies*, 56(2), 267-289. doi.org/10.1177/0021909620916898
- 407 Mahboubi, M.R., Esmaili I, M., and Yaqoubi, J. 2011. Investigating the factors preventing and
408 promoting the use of new irrigation methods by farmers: the case of west Beshrouye city in South
409 Khorasan. *Water and Irrigation Manag. Quarterly*, 1(1): 87-98.
- 410 Mardy, T. Uddin, M. N. Sarker, M. A. Roy, D. and Dunn, E. S. 2018, Assessing Coping Strategies
411 in Response to Drought: A Micro-Level Study in the NorthWest Region of Bangladesh, *Climate*,
412 6(2): 1-18. DOI: 10.3390/cli6020023.
- 413 Mfitumukiza, D., Barasa, B., Kiggundu, N., Nyarwaya, A., & Muzei, J. P. (2020). Smallholder
414 farmers' perceived evaluation of agricultural drought adaptation technologies used in Uganda:
415 Constraints and opportunities. *Journal of Arid Environments*, 177, 104137.
416 doi.org/10.1016/j.jaridenv.2020.104137
- 417 Mousavi, A., Zarei, M.R., Asadi, M., and Ataei, M. 2021. Extension model compatible with
418 drought management in Razavi Khorasan Province, Iran. *Water Resour. Manag.*, 18(6): 155-169.
- 419 Movahedii, Saeed, Asakareh, Hossein, Sabzi Parvar, Ali Akbar, Masoudian, Abolfazl, and
420 Merianji, Zahra. (2012). Investigating changes in the seasonal pattern of rainfall in Hamadan
421 province. *Geogr. Res*, 28(2), 33-47.
- 422 Naderi, L., and Karami Dehkordi, I. 2019. The Impact of Constructing Behesht Abad Dam on
423 Livelihood Strategies of Local Communities. *J. geogr. reg. plan.*, 23(1): 25-51.
424 <http://journals.modares.ac.ir/article-21-20639-fa.html>
- 425 Nicholas, K. A., & Durham, W. H. 2012. Farm-scale adaptation and vulnerability to
426 environmental stresses: Insights from winegrowing in Northern California. *Glob Environ*
427 *Change.*, 22(2): 483-494.
- 428 Nilsen, P., Nordström, G., & Ellström, P. E. 2012. Integrating research-based and practice-based
429 knowledge through workplace reflection. *J. Workplace learn*, 24(6): 403-415.
- 430 Ommani, A. R. 2011. Affecting factors on adoption of sustainable water resources management
431 in Agriculture. *Res. J. Environ. Sci.*, 5(1): 36-48.
- 432 Poortaheri, M., Eftekhari, A., & Kazemi, N. 2013. The role of drought risk management approach
433 in reducing social-economic vulnerability of farmers and rural regions case study: Sulduz rural
434 district. *Azarbaijan Gharbi, J. Rural Res.*, 4 (1): 1-22.
- 435 Pozzi, W., Sheffield, J., Stefanski, R., Cripe, D., Pulwarty, R., Vogt, J. V., & Van Dijk, A. I.
436 2013. Toward global drought early warning capability: Expanding international cooperation for
437 the development of a framework for monitoring and forecasting. *Bull Am Meteorol Soc.*, 94(6):
438 776-785. DOI: 10.1175/BAMS-D-11-00176 .
- 439 Pouralimoghaddam, S., MehrjerdiZare M. R., Amirtaimoori ,S., Naghavi S., Investigating the
440 Effect of Knowledge Based Economy Components on Water Productivity and Consumption in
441 Iran's Agricultural Sector. 11(3) , 43, 305-318. Doi: 10.22125/iwe.2021.128209
- 442 Qiu, H. J., Zhu, W. B., Wang, H. B., & Cheng, X. 2007. Analysis and design of agricultural
443 sustainability indicators system. *AGR SCI CHINA.*, 6(4): 475-486.
- 444 Rahimi, M., Pourmohammadi, M.R., Mohammadi, A., and Mehdipour, F.2019. Development of
445 extension model for drought management in Iran. *J. Agric. Educ.*, 14(4): 123-138.
- 446 Rahimian, M. 2015. Factors affecting the sustainable management of water resources among
447 irrigated wheat farmers in Kohdasht city. *Extension sciences and agricultural education of Iran*.12(-
448), 233-27. DOI: 20.1001.1.20081758.1395.12.2.15.8

- 449 Rahman, M. H. and Alam, K. 2016. Forest Dependent Indigenous Communities' Perception and
450 Adaptation to Climate Change through Local Knowledge in the Protected Area- A Bangladesh
451 Case Study, *Climate.*, 4(1): 1-25. <https://doi.org/10.3390/cli4010012> .
- 452 Rezadoost, B., & Allahyari, M. S. 2014. Farmers' opinions regarding effective factors on
453 optimum agricultural water management. *J. Saudi Soc. Agric. Sci.*, 13(1): 15-21.
- 454 Sabir, N., Riazuddin, S. A., Kaul, H., Iqbal, F., Nasir, I. A., Zafar, A. U.. & Riazuddin, S. 2010.
455 Mapping of a novel locus associated with autosomal recessive congenital cataract to chromosome
456 8p. *Mol. Vis.*, 16: 2911.
- 457 Saifi, B & Drake, L. 2008. A co-evolutionary model for promoting agricultural sustainability,
458 *Ecol. Econ.*, 65(1): 24-34.
- 459 Sangpenchan, R. 2011. Vulnerability of Thai rice production to simultaneous climate and
460 socioeconomic change: A double exposure analysis.
- 461 Savari, M., & Eskandari damaneh, H. 2019. The Role of Participatory Management in
462 Empowering Local Communities in Coping with Droughts in Southern Kerman Province. *J. Spat.*
463 *Plan.*, 23(2): 123 -171.
- 464 Shabanali Fami, H., Savari, M., Motaghd, M., Mohammadzadeh Nasrabadi, M., Afshari, S. &
465 Baghaee, M. 2020. Formulating and Analysis of Adaptation Strategies of Farmers to Drought
466 Conditions in Isfahan Province Using TOWS Matrix. *J. Spat. Plan.*, 24(1): 21 -47.
- 467 Shahmohammadi, Z., Haghighatjoo, P., and Afrasiab, P. 2001. *Determining droughts and*
468 *droughts based on long-term annual rainfall statistics in Iran*. The first national conference on
469 crisis coping strategies, 14-1.
- 470 Shakouri, A., Merseli, I. 2018. Study of the Impact of Climate and Environmental Factors on
471 Promoting Water Productivity in Rural Communities. *J. Spat. Plan. Manage.*, 23(2): 47-73.
472 <http://journals.modares.ac.ir/article-16781-21-fa.html>
- 473 Singh, R.K., Zander, K.K., Kumar, S., Singh, A., Sheoran, P., Kumar, A., Padung, E. 2017.
474 Perceptions of climate variability and livelihood adaptations relating to gender and wealth among
475 the Adi community of the Eastern Indian Himalayas. *Appl Geogr.*, 86: 41-52.
- 476 Smit, B., & Pilifosova, O. 2003. Adaptation to climate change in the context of sustainable
477 development and equity. *J. Sustain. Dev.*, 8(9): 9.
- 478 Solh, M., & van Ginkel, M. 2014. Drought preparedness and drought mitigation in the developing
479 world 's drylands. *Weather. Clim. Extremes.*, 3: 62-66.
- 480 Strauss, A., & Corbin, J. (1998). Basics of qualitative research techniques.
- 481 Tavakoli, J., Almasi, H., & Qochi, P. 2015. Investigation and Analysis of Drought Adjustment
482 Strategies in Kermanshah Province. *J. Rural Res.*, 7(1): 217-241. DOI:
483 10.22059/JRUR.2016.58393
- 484 Teisman, G., van Buuren, A., Edelenbos, J., Warner, J. 2013. Water governance: Facing the limits
485 of managerialism, determinism, water-centricity, and technocratic problemsolving, *Int. J. Water*
486 *Gov.*, 1 (1-2): 1-11.
- 487 Thieme, S. 2006. *Social networks and migration: Far West Nepalese labour migrants in*
488 *Delhi* (Vol. 7). LIT Verlag Münster.
- 489 Tripathi, A., Mishra, A.K. 2017. Knowledge and passive adaptation to climate change: An
490 example from Indian farmers. *Clim. Risk Manag.*, 16: 195- 207.
- 491 Udayakumara, E. P. N., Shrestha, R. P., Samarakoon, L., & Schmidt-Vogt, D. (2010). People's
492 perception and socioeconomic determinants of soil erosion: A case study of Samanalawewa
493 watershed, Sri Lanka. *International journal of sediment research*, 25(4), 323-339.
494 Doi.org/10.1016/S1001-6279(11)60001-2

- 495 Werkheiser, I., Piso, Z. 2015. People work to sustain systems: a framework for understanding
496 sustainability. *J. Water Resour. Plan. Manag.*, 141 (12): 315.
- 497 Xenarios, S. Nemes, A. Sarker, G. W. and Sekhar, N. U. 2016. Assessing vulnerability to climate
498 change: Are communities in flood-prone areas in Bangladesh more vulnerable than those in
499 drought-prone areas are?. *Water Resour. Rural. Dev.*, 7(2): 1- 19.
500 <https://doi.org/10.1016/j.wrr.2015.11.001>.
- 501 Yazdanpanah, M., Forouzani, M and Zobeidi, T. 2015.. A typology of Iranian farmer perceptions
502 of climate change: Application of the Qmethodology. Proceedings of 31st Q Conference.
503 Università Politecnica Delle Marche: 121-123. ANCONA. ITALY. DOI
504 10.22059/jhsci.2015.58267.
- 505 Zarafshani, K., Sharafi, L., Azadi, H., & Van Passel, S. 2016. Vulnerability assessment models
506 to drought: toward a conceptual framework. *Sustainability.*, 8(6): 588.
- 507 Zarafshani, K., Sharafi, L., Azadi, H., Hosseininia, G., De Maeyer, P., & Witlox, F. 2012. Drought
508 vulnerability assessment: The case of wheat farmers in Western Iran. *Glob Planet Change.*, 98:
509 122-130.
510