

Prediction of Cake Texture during Conventional Baking Based on AdaBoost Algorithm

Sediqeh Soleimanifard^{1*}, Nafiseh Jahanbakhshian², and Somayeh Niknia¹

ABSTRACT

The present study investigates the effect of baking temperatures (140, 160, 180, 200, and 220°C) on texture kinetics. It also explores a statistical classification meta-algorithm, called Adaptive Boosting (AdaBoost), to predict texture changes during conventional cake baking. The experimental results indicated that texture properties were significantly affected by baking temperature and time. As time and temperature increased, there was an increase in hardness, cohesiveness, gumminess, and chewiness and a decrease in springiness. However, the impact of time and temperature on resilience was inconsistent, as it was maximum in the last quarter of the process. The predicted results revealed that the AdaBoost algorithm accurately predicted the texture properties with a high coefficient of determination ($R^2 > 0.989$) and minimal root mean square error ($RMSE < 0.0019$) across all textural properties. Therefore, it can serve as an efficient tool for predicting the texture properties of cakes during baking. Furthermore, the proposed methodology can be extended to predict the texture properties of other baked goods.

Keywords: Adaptive Boosting, Conventional baking, Machine learning, Texture profile analysis.

INTRODUCTION

Cakes are bakery products that are widely consumed worldwide. Regardless of the variety of cakes, which are attributed to various formulations and process conditions, achieving the desired texture in the product is still challenging.

Understanding the textural characteristics of the cake improves quality control. However, determining these properties requires expensive equipment and significant time (Crispín-Isidro *et al.*, 2015). The use of predictive algorithms based on mathematical models is recommended.

Researchers have developed various algorithms to predict the texture of food materials. Some of these approaches include Artificial Neural Network (ANN) (Abbasi *et*

al., 2012; Ahmad *et al.*, 2014; Batista *et al.*, 2021; Khawas *et al.*, 2016; Lee *et al.*, 2024; Meng *et al.*, 2012; Pan *et al.*, 2015; Qiao *et al.*, 2007; Vásquez *et al.*, 2018), Bayesian Extreme Learning Machine (BELM) (Lee *et al.*, 2024), Random Forest (RF) (Lee *et al.*, 2024; H. Lin *et al.*, 2024; Sun *et al.*, 2021; Zhou *et al.*, 2024), Support Vector Machine (SVM) (Lin *et al.*, 2024; Zhu *et al.*, 2017), Genetic Algorithm (GA) (Abbasi *et al.*, 2012; Lin *et al.*, 2024; Zhu *et al.*, 2017), Partial Least Squares Regression (PLSR) (Darnay *et al.*, 2017; Polak *et al.*, 2019; Sun *et al.*, 2021; Vásquez *et al.*, 2018; Zhu *et al.*, 2017), Monte Carlo Cross (MCC) (Darnay *et al.*, 2017), Weighted Regression (WR) (Zhu *et al.*, 2017), Successive Projections Algorithm (SPA) (Zhu *et al.*, 2017), Gaussian Process Regression (GPR)

¹ Department of Food Science and Technology, College of Agriculture, University of Zabol, Zabol, Islamic Republic of Iran.

² Department of Food Science and Technology, Islamic Azad University, Shahrekord Branch, Shahrekord, Islamic Republic of Iran.

*Corresponding author; e-mail: s.soleimanifard@uoz.ac.ir



(Barzegar *et al.*, 2024), eXtreme Gradient Boosting algorithm (XGBoost) (Zhou *et al.*, 2024).

The AdaBoost is a powerful algorithm that can select properties during learning (Chuan *et al.*, 2021). Furthermore, since increasing the sample size requires reasonable speed and accuracy, this method can be useful and efficient when dealing with large amounts of data. The AdaBoost algorithm also offers numerous advantages, including ease of use, simple and interpretable classification rules, and having only one regularization parameter (i.e., the number of algorithm repetitions), resulting in a high level of automation. Also, this algorithm is compatible with unbalanced training data and offers great flexibility compared to many other algorithms (Chen *et al.*, 2014; Freund and Schapire, 1997). In addition, it has various applications in food products, including ripe fruit detection (Lin and Zou, 2018), sweetness prediction (Bouysset *et al.*, 2020), camellia oil fraud detection (Kuang *et al.*, 2022), food glycemic index prediction (Khan *et al.*, 2022), wheat varieties, and mixing ratio detection and classification (Jiang *et al.*, 2023).

According to the studies presented in the research literature, no study was found that could predict the Texture Profile Analysis (TPA) characteristics of the cake using the existing algorithms. Therefore, we chose the AdaBoost algorithm to predict the cake's fundamental textural properties (i.e., hardness, springiness, cohesiveness, chewiness, gumminess, and resilience) during conventional baking. Also, a split-plot based on complete block design was applied for TPA experiments.

Based on the mentioned points, the main contributions of this paper are as follows:

For the first time, the AdaBoost algorithm is used to model the textural properties of food and applied RMSE, R^2 , and QC

Time and temperature are used simultaneously to enhance the model's accuracy.

MATERIALS AND METHODS

Experimental Data

Baking Procedure

In this step, a vanilla cake batter including sugar (21.1 g), milk powder (1.6 g), emulsifier (0.25 g), salt (0.45 g), baking powder (1.35 g), flour (21.1 g), vanilla (0.45 g), liquid egg (24.7 g), vegetable oil (14.5 g), and water (14.5 g) was prepared by stirring the liquid egg using a mixer (Bosch-CNCM57, 1100 W, Slovenia) at high speed for 10 min and mixing with water and vegetable oil. Finally, other ingredients of batter were added and mixed until uniformity in the cake batter was obtained (Soleimanifard *et al.*, 2024). The moisture content of the batter was 49% on a dry basis.

About 100 g of vanilla batter was baked in a conventional oven (Butane MR-1, Iran) at 140, 160, 180, 200, and 220 °C for 1.59, 0.81, 0.66, and 0.63 hour, respectively. The total process time at each temperature was divided into 17 parts, where all textural parameters were measured.

Texture Profile Analysis

A Texture Analyzer (TA Plus, Lloyd Instruments, UK) with a 50 N load cell was used to conduct double-compression TPA on cake crumbs. A cylindrical probe (40 mm in diameter) was used to compress cylindrical samples with a diameter of 24.5 mm and a height of 20 mm to 50% compression at a speed of 60 mm (Bourne, 2002; Zareifard *et al.*, 2009). TPA was designed to simulate the mastication processes.

As shown in Figure 1, the force peak height on the first compression cycle is defined as hardness (N). The ratio of the positive force areas under the first and second compressions (A_2/A_1) was used to measure cohesiveness (N/N). This ratio indicates the extent to which a sample can be deformed before it ruptures. Springiness




Figure 1. The textural parameters of the TPA curve.

(s/s) is defined as the time index it takes for the sample to return to its original shape or size after being partially compressed. The parameter was calculated as $\text{distance}_2/\text{distance}_1$. Moreover, resilience (N.s/N.s), i.e., the degree to which the sample returns to its original shape and elasticity, was calculated as A_4/A_3 . Two additional parameters were derived from the measured parameters. Here, gumminess (N) was defined by multiplying hardness by cohesiveness, while chewiness (N) was calculated by multiplying gumminess by springiness (Bourne, 2002; Zareifard *et al.*, 2009). All experiments were performed in five replications.

Statistical Analysis

The experimental data was analyzed by analysis of variance (ANOVA) using a split-plot design based on complete block design with the SAS statistical program (version 9.4). Means of treatments were separated using the Duncan test ($p \leq 0.05$).

AdaBoost Modeling

This research applies the AdaBoost algorithm to predict textural changes in cake samples during baking under various conditions. AdaBoost was chosen for its ability to improve productivity and address the problem of imbalanced categories in other learning algorithms. This algorithm can upgrade a weak classifier with a better

classification effect than random classification to a strong classifier with high classification accuracy (Chuan *et al.*, 2021).

This algorithm integrates many weak classifiers (e.g., simple decision trees and neural networks) and transforms them into strong ones (Tharwat *et al.*, 2018) during both the training and testing phases. The process was performed in the following steps:

In the training step, observation weights were initialized to be equal and were used for the first classifier: $w_j^1 = \frac{1}{N}$, $j=1, \dots, N$. The weights of the first classifier were (w_j^1) . Afterward, they were determined through the error rates of weak learners (ϵ_t), as follows:

$$\epsilon_t = \sum_{j=1}^N w_j^t l_j^t \text{ and } l_j^t = 1$$

Where, training samples were misclassified; otherwise, $l_j^t = 0$. If $\epsilon_t \geq 0.5$, the weights were readjusted so the misclassified samples were classified more accurately in the next learning step by increasing their weights. Therefore, weak learner weights (α_t) were calculated as follows:

$$\alpha_t = \frac{\epsilon_t}{1-\epsilon_t}. \text{ (Gaber } et al., 2016)$$

Finally, the previous steps were repeated until the best classifier was achieved (Li and Li, 2020).

In the testing step, all weak learners of the algorithm were used to classify the testing sample (x_{test}) as follows:

$$\mu_t = \sum_{C_t(x_{test})=\omega_t} \ln\left(\frac{1}{\alpha_t}\right), \quad \forall t = 1, 2, \dots, T,$$

where μ_t is the score of a class ω_t . Moreover, T , N , and ϵ_t are the total number of iterations, the total number of samples in the training set, and the minimum error, respectively.

Eventually, the unknown sample was devoted to the highest score class (Gaber *et al.*, 2016; Tharwat *et al.*, 2018).



Validation Criteria

The model was validated using statistical parameters such as the followings: $R^2 = 1 - \frac{\sum_{i=1}^N (x_{i_exp} - x_{i_pre})^2}{\sum_{i=1}^N (x_{i_exp} - \bar{x}_{exp})^2}$,

$$RMSE = \sqrt{\frac{\sum_{i=1}^N (x_{i_exp} - x_{i_pre})^2}{N}},$$

Quality coefficient as $QC = \frac{R_{train}^2 + R_{test}^2}{RMSE_{train}^2 + RMSE_{test}^2}$ (Batista et al., 2021b; Niu et al., 2020).

Where, N , x_{i_pre} , x_{i_exp} , and \bar{x}_{exp} represent the number of data sets, the predicted values, the experimental values, and the average experimental data, respectively. Generally, a model with the maximum R^2 value (close to 1) and the minimum RMSE value (close to 0) would exhibit the best relative performance.

RESULTS

Experimental Analysis

Hardness

Figure 2-A illustrates the effects of baking time and temperature on the hardness of the baked cakes. As can be seen, hardness increased by increasing the baking time. This behavior is attributed to the role of water as a plasticizer. By reducing the amount of moisture content during the process, hardness will increase accordingly. In other words, when the moisture content decreases, the gelatinization or retrogradation of starch and protein interactions are accelerated, resulting in a harder texture. Hence, the moisture content had a negative correlation with hardness. During the baking process, evaporation of water from the surface creates a crust that increases hardness. This increase may explain the surge in hardness observed after the crust (1,000-2,000 s, depending on temperature). As the baking temperature

risks, water evaporation and pressure gradients increase considerably, leading to rapid moisture loss. In this respect, many studies have reported an increase in hardness in bread (Das et al., 2012; İçöz et al., 2004; Matos and Rosell, 2012), cake (Al-Muhtaseb et al., 2013), and Chhana Podo (Kumari et al., 2015) with an increase in baking time and temperature.

Cohesiveness

Figure 2-B illustrates the effects of baking time and temperature on the cohesiveness of the cake during baking. As also reported by Clarke and Farrell (2000), the cohesiveness of the cake increased by prolonging the baking time. Furthermore, this parameter increases with the temperature rise at a constant time. Final mean cohesiveness values ranged from 0.48 to 0.63 in the temperature range of 140 to 220°C. During the baking process, a stronger and more cohesive structure will develop by decreasing the moisture content, thereby increasing the hardness. In addition, as the temperature increases, the sample absorbs more energy over time, reducing the processing time needed to achieve the final strong structure.

While cohesiveness increased slowly during the baking process at lower temperatures, this behavior was significantly different at higher temperatures, showing rapid growth initially and then reaching a plateau over time.

Springiness

Springiness is the time index to which the cake returns to its original state after removing the compression force. This parameter, which is controlled by the crumb network's strength, is thought to be a good predictor of staling initiation (Cauvain and Young, 2009). Springiness significantly increased with time and decreased with temperature during baking using a




Figure 2. The effect of temperature and time on hardness (A), cohesiveness (B), springiness (C), chewiness (D), gumminess (E), and resilience (F).

conventional oven (Figure 2-C). One of the most significant changes at the beginning of baking is the increase in dough temperature. This factor fills the pores and transforms the product from a liquid batter or semi-viscous dough into a solid alveolar structure by the end of the baking process, thereby increasing springiness. Similar results have been reported by Gond *et al.* (2023) and Osman *et al.* (2017).

By increasing the temperature from 140 to 220°C, the cake hardness negatively correlated with the cake's springiness, where higher hardness led to lower springiness. As the temperature increases, the cake absorbs more heat during baking. Consequently, it increases water evaporation inside the cake batter and the pressure gradient between the dough surface and core, resulting in crumb softening (Shahapuzi *et al.*, 2015). This outcome is probably the reason for the



decrease in springiness. Moreover, as the processing time increases at a constant temperature, porosity exhibits an upward trend. Consequently, as porosity increases and the sample swells, the formation of additional air pore during baking enhances the return to the initial state. Therefore, the observed increase in springiness appears reasonable, despite the rise in hardness. In this respect, similar results have been reported in a study on pizza (Clarke and Farrell, 2000; Chhana Podo Kumari *et al.*, 2015).

Chewiness and Gumminess

Cake baked in the conventional oven showed an overall increase in chewiness and gumminess by prolonging the baking time (Figures 2-D and -E). One possible explanation for this result could be the rise in cake hardness over time and with temperature (Figure 2-A). Therefore, the energy required to break down and chew the samples would increase. The decrease in moisture content might be another reason for the increase in gumminess during baking. Similar conclusions have been proposed for cake Al-Muhtaseb *et al.* (2013b) and for Chhana Podo Kumari *et al.* (2015).

Resilience

Figure 2-F shows the changes in resilience during cake baking in a conventional oven. As can be seen, resilience increased, reaching a peak at about the last quarter of the process time, and then decreased.

The cohesiveness and hardness of the cake increased during baking (Figures 2-A and -B). These modifications, along with the differences in height, as shown in Figure 3-A, led to favorable results that improved the formation and stability of the structure. Hence, they ultimately increased the cake's resilience and height, allowing it to return to its original state. After a while, when the center temperature of the cake reaches starch gelatinization and protein coagulation (85-90°C), expansion stops, but evaporation continues. The end of the cake's expansion can be demonstrated by the open structure of the cake, which occurs due to the formation of bubbles and the significant release of gases. Finally, the cake shrinks at the end of its expansion due to water evaporation (Lostie *et al.*, 2002). The texture would be so hard that it could not recover to its original shape after removing the compression. As a result, resilience would decrease (Figure 3-B).

Results showed that the resilience increased as the temperature rose from 140 to 220°C. Also, the increase in the slope of




Figure 3. Relationship between height (A) and center temperature (B) with resilience of the cake at 180 °C.

the hardness curve in the final steps had a positive correlation with its resilience.

Model Analysis

The cake texture properties during conventional baking were predicted by performing AdaBoost modeling in Python (version 3.6). The selected estimator must have the highest R^2 and the lowest RMSE for the mean values of each temperature in both the training and validation phases (Table 1), resulting in a higher quality coefficient value. Here, the best-estimated number was 50, with the highest quality coefficient among all textural properties (Figure 4).

Therefore, a model of textural properties containing two inputs (i.e., time and temperature), 50 estimators, 5 folds, and 6 outputs was selected (Figure 5).

The efficiency of the composite models was verified using AdaBoost. As it turned out, the maximum differences between hardness, cohesiveness, springiness, resilience, chewiness, and gumminess were 0.38, 0.01, 0.05, 0.02, 0.26, 0.21, and 0.41, respectively, suggesting the effectiveness of the proposed model. Figure 6 compares the experimental and predicted values to demonstrate the efficacy of models in predicting textural properties. These graphs indicate the proximity of the values obtained by the models to the TPA data.

Table 2 demonstrates the effect of different cooking temperatures on the prediction of the AdaBoost algorithm. In fact, we only included the average values of textural properties during cooking at each temperature in this table to demonstrate that, as the process temperature increased from 140 to 220°C, the total time and, consequently, the time intervals (at which samples were taken) decreased, leading to potentially higher measurement errors. As a result, the differences between the predicted and experimental values would increase, resulting in lower R^2 and higher RMSE. This indicates a gradual decrease in the accuracy

of predictions. Another reason for lower model accuracy may be the increased chemical reactions at higher temperatures, which could affect the textural properties. By all means, the least amount of R^2 was 0.989, and the maximum amount of RMSE was 0.034, proving the ability of AdaBoost in predicting the textural properties of food. Also, there are several studies on predicting food properties using the AdaBoost algorithm. The following research examples demonstrate that AdaBoost is a powerful algorithm in this context.

Khan *et al.* (2022) obtained food glycemic index by data extracted from pictures using five Machine Learning (ML) algorithms, i.e. AdaBoost, Random Forest, Decision Tree, K-Nearest-neighbor Classifier, and Naive Bayes Classifier. They divided food into three categories: high, low, and moderate sugar. The results demonstrated the better accuracy of the AdaBoost model in the classification of the food glycemic index.

Bambil *et al.* (2020) collected 40 leaves of 30 varieties of trees and shrubs from 19 families concerning the plant species detection from its morphology. The studied features from the collected pictures were color, shape, and texture. Also, the models employed for detecting the plant morphology were three ML algorithms, namely, AdaBoost, random forest, and Support Vector Machine (SVM), and a deep learning ANN model. The least correlation factor was 0.93, representing the model's efficiency.

In another study, Kuang *et al.* (2022) used the AdaBoost algorithm to improve camellia oil fraud detection. They employed this algorithm to optimize the back-propagation neural network model to distinguish the fake and pure camellia oil by applying NI-Raman spectroscopy data. The results showed a great accuracy with $R^2= 0.999$ and $RMSE= 0.01$.

Lin and Zou (2018) used the AdaBoost algorithm to diagnose ripe fruit and their spatial positioning for mechanized harvesting. The number of pictures used in this research was 120, of which 20 were for



the training part and the rest for the test step. Also, the lowest model accuracy was 0.867.

Table 1. R^2 and RMSE values in the training and validation phase.

	Training		Validation	
	R^2	RMSE	R^2	RMSE
Hardness	0.99	0.068	0.99	0.167
Cohesiveness	0.99	0.002	0.98	0.003
Springiness	0.99	0.005	0.98	0.013
Resilience	0.99	0.002	0.97	0.005
Chewiness	0.99	0.035	0.99	0.089
Gumminess	0.99	0.043	0.99	0.103




Figure 4. The effect of estimator number on AdaBoost algorithm performance in the training and testing phase.




Figure 5. AdaBoost topology for Texture prediction.




Figure 6. Predicted and experimental values of TPA characteristics at the phases of training (left column) and test (right column).

Table 2. The effect of process temperature on models' accuracy for different textural properties.

Temperature	Hardness		Cohesiveness		Springiness		Resilience		Gumminess		Chewiness	
	R ²	RMSE	R ²	RMSE	R ²	RMSE	R ²	RMSE	R ²	RMSE	R ²	RMSE
140°C	0.999	0.002	0.999	9.3E-7	0.997	1.9E-5	0.996	5.3E-6	0.999	7.1E-4	0.998	0.001
160°C	0.999	0.003	0.999	1.2E-6	0.996	6.1E-5	0.995	2.2E-6	0.999	6.1E-4	0.998	0.002
180°C	0.998	0.016	0.999	3.8E-6	0.995	1.1E-4	0.993	1.4E-5	0.998	0.005	0.998	0.004
200°C	0.998	0.013	0.998	3.8E-5	0.995	3.9E-4	0.992	7.4E-5	0.998	0.005	0.997	0.003
220°C	0.997	0.034	0.998	1.0E-5	0.989	3.3E-4	0.991	1.8E-5	0.997	0.015	0.997	0.009



CONCLUSIONS

The effect of conventional baking on textural properties were investigated, followed by using AdaBoost model to predict textural properties during the conventional baking of cakes. The results indicate that hardness, cohesiveness, chewiness, gumminess, and resilience increased, while springiness decreased when higher operating temperatures were applied. Model results confirmed that both baking temperature and time significantly influence the textural properties. Also, $R^2 > 0.989$ and $RMSE < 0.0019$ for the predicted texture characteristics revealed that the AdaBoost model was an effective tool for predicting the textural properties of baking products during the process.

ACKNOWLEDGEMENTS

This research was supported by a grant from the University of Zabol (IR-UOZ-GR-0946).

REFERENCES

1. Abbasi, H., Ardabili, S. M. S., Emam-Djomeh, Z., Mohammadifar, M. A., Zekri, M. and Aghagholizadeh, R. 2012. Prediction of Extensograph Properties of Wheat-Flour Dough: Artificial Neural Networks and a Genetic Algorithm Approach. *J. Text. Stud.*, **43(4)**: 326–337.
2. Ahmad, I., Jeenanunta, C., Chanvarasuth, P. and Komolavanij, S. 2014. Prediction of Physical Quality Parameters of Frozen Shrimp (*Litopenaeus vannamei*): An Artificial Neural Networks and Genetic Algorithm Approach. *Food Bioprocess. Tech.*, **7(5)**: 1433–1444.
3. Al-Muhtaseb, A. H., McMinn, W., Megahey, E., Neill, G., Magee, R. and Rashid, U. 2013. Textural Characteristics of Microwave-Baked and Convective-Baked Madeira Cake. *J. Food Process. Technol.*, **4(2)**: 1–8.
4. Bambil, D., Pistori, H., Bao, F., Weber, V., Alves, F. M., Gonçalves, E. G., de Alencar Figueiredo, L. F., Abreu, U. G. P., Arruda, R. and Bortolotto, I. M. 2020. Plant Species Identification Using Color Learning Resources, Shape, Texture, through Machine Learning and Artificial Neural Networks. *Environ. Syst. Decis.*, **40(4)**: 480–484.
5. Barzegar, H., Alizadeh Behbahani, B., Mirzaei, A. and Ghodsi Sheikhjan, M. 2024. Prediction of Physicochemical and Sensory Parameters of Coated Lamb Meat Based on a Novel Edible Coating. *J. Food Meas. Charact.*, **18(3)**: 1664–1678. 7
6. Batista, L. F., Marques, C. S., dos Santos Pires, A. C., Minim, L. A., Soares, N. de F. F. and Vidigal, M. C. T. R. 2021b. Artificial Neural Networks Modeling of Non-Fat Yogurt Texture Properties: Effect of Process Conditions and Food Composition. *Food Bioprod. Process.*, **126**: 164–174.
7. Bourne, M. 2002. *Food Texture and Viscosity: Concept and Measurement*. 2nd Edition, Academic Press, San Diego.
8. Bouysset, C., Belloir, C., Antonczak, S., Briand, L. and Fiorucci, S. 2020. Novel Scaffold of Natural Compound Eliciting Sweet Taste Revealed by Machine Learning. *Food Chem.*, **324**: 126864.
9. Cauvain, S. P. and Young, L. S. 2009. *Bakery Food Manufacture and Quality: Water Control and Effects*. 2nd Edition, ISBN 1444301098, 9781444301090 John Wiley and Sons, 304 PP.
10. Chen, Q., Hui, Z., Zhao, J. and Ouyang, Q. 2014. Evaluation of Chicken Freshness Using a Low-Cost Colorimetric Sensor Array with AdaBoost-OLDA Classification Algorithm. *LWT - Food Sci. Technol.*, **57(2)**: 502–507.
11. Chuan, Y., Zhao, C., He, Z. and Wu, L. 2021. *The Success of AdaBoost and Its Application in Portfolio Management*. Papers 2103.12345, <https://arxiv.org/pdf/2103.12345>
12. Clarke, C. I. and Farrell, G. M. 2000. The Effects of Recipe Formulation on the Textural Characteristics of Microwave-Reheated Pizza Bases. *J. Sci. Food Agric.*, **80(8)**: 1237–1244.
13. Crispin-Isidro, G., Lobato-Calleros, C., Espinosa-Andrews, H., Alvarez-Ramirez, J. and Vernon-Carter, E. J. 2015. Effect of Inulin and Agave Fructans Addition on the Rheological, Microstructural and Sensory Properties of Reduced-Fat Stirred Yogurt. *LWT - Food Sci. Technol.*, **62(1)**: 438–444.
14. Darnay, L., Králik, F., Oros, G., Koncz, Á. and Firtha, F. 2017. Monitoring the Effect of Transglutaminase in Semi-Hard Cheese

- during Ripening by Hyperspectral Imaging. *J. Food Eng.*, **196**: 123–129.
15. Das, L., Raychaudhuri, U. and Chakraborty, R. 2012. Effect of Baking Conditions on the Physical Properties of Herbal Bread Using RSM. *Int. J. Food Agric. Vet. Sci.*, **2(2)**: 106–114.
16. Freund, Y., and Schapire, R. E. 1997. A Decision-Theoretic Generalization of On-Line Learning and an Application to Boosting. *J. Comput. Syst. Sci.*, **55(1)**: 119–139.
17. Gaber, T., Tharwat, A., Hassanien, A. E. and Snasel, V. 2016. Biometric Cattle Identification Approach Based on Weber's Local Descriptor and Adaboost Classifier. *Comput. Electron. Agric.*, **122**: 55–66.
18. Gond, P., Lohani, U. C., Shahi, N. C. and Aman, J., 2023. Process Standardization of Infrared Assisted Pulsed Microwave Baked Biscuits and Its Comparison with Conventionally Baked Biscuits. *J. Food Process. Eng.*, **46(11)**: e14432.
19. İçöz, D., Sumnu, G. and Sahin, S. 2004. Color and Texture Development during Microwave and Conventional Baking of Breads. *Int. J. Food Prop.*, **7(2)**: 201–213.
20. Jiang, X., Bu, Y., Han, L., Tian, J., Hu, X., Zhang, X., Huang, D. and Luo, H. 2023. Rapid Nondestructive Detecting of Wheat Varieties and Mixing Ratio by Combining Hyperspectral Imaging and Ensemble Learning. *Food Control*, **150**: 109740.
21. Khan, M. I., Acharya, B., and Chaurasiya, R. K. 2022. Automatic Prediction of Glycemic Index Category from Food Images Using Machine Learning Approaches. *Arab. J. Sci. Eng.*, **47**: 10823–10846.
22. Khawas, P., Dash, K. K., Das, A. J. and Deka, S. C. 2016. Modeling and Optimization of the Process Parameters in Vacuum Drying of Culinary Banana (Musa ABB) Slices by Application of Artificial Neural Network and Genetic Algorithm. *Dry. Technol.*, **34(4)**: 491–503.
23. Kuang, J., Luo, N., Hao, Z., Xu, J., He, X. and Shi, J. 2022. NI-Raman Spectroscopy Combined with BP-Adaboost Neural Network for Adulteration Detection of Soybean Oil in Camellia Oil. *J. Food Meas. Charact.*, **16**: 3208–3215.
24. Kumari, A., Eljeeva Emerald, F. M., Simha, V. and Pushpadass, H. A. 2015. Effects of Baking Conditions on Colour, Texture and Crumb Grain Characteristics of Chhana Podo. *Int. J. Dairy Technol.*, **68(2)**: 270–280.
25. Lee, D., Jeong, S., Yun, S. and Lee, S. 2024. Artificial Intelligence-Based Prediction of the Rheological Properties of Hydrocolloids for Plant-Based Meat Analogues. *J. Sci. Food Agric.*, **104(9)**: 5114–5123.
26. Li, Y. and Li, Y. 2020. Study of Merchant Adoption in Mobile Payment System Based on Ensemble Learning. *Am. J. Ind. Bus. Manag.*, **10(5)**: 861.
27. Lin, G. and Zou, X. 2018. Citrus Segmentation for Automatic Harvester Combined with AdaBoost Classifier and Leung-Malik Filter Bank. *IFAC-Papers OnLine*, **51(17)**: 379–383.
28. Lin, H., Song, X., Dai, F., Zhang, F., Xie, Q. and Chen, H. 2024. Research on Machine Learning Models for Maize Hardness Prediction Based on Indentation Test. *J. Agric.*, **14(2)**: 224.
29. Lostie, M., Peczalski, R., Andrieu, J. and Laurent, M. 2002. Study of Sponge Cake Batter Baking Process. Part I: Experimental Data. *J. Food Eng.*, **51(2)**: 131–137.
30. Matos, M. E. and Rosell, C. M. 2012. Relationship between Instrumental Parameters and Sensory Characteristics in Gluten-Free Breads. *Eur. Food Res. Technol.*, **235(1)**: 107–117.
31. Meng, X., Zhang, M. and Adhikari, B. 2012. Prediction of Storage Quality of Fresh-Cut Green Peppers Using Artificial Neural Network. *Int. J. Food Sci. Technol.*, **47(8)**: 1586–1592.
32. Niu, Y., Yun, J., Bi, Y., Wang, T., Zhang, Y., Liu, H. and Zhao, F. 2020. Predicting the Shelf Life of Postharvest *Flammulina velutipes* at Various Temperatures Based on Mushroom Quality and Specific Spoilage Organisms. *Postharvest Biol. Technol.*, **167**: 111235.
33. Osman, R. M., Yang, T. A., Ahmed, A. H. R., Ahmed, K. E., Ali, M. H. and Khair, S. M. 2017. Optimization of Bread Baking Conditions in Superheated Steam Oven Using Response Surface Methodology. *Int. J. Agric. Environ. Res.*, **3(3)**: 290–301.
34. Pan, H., Yang, J., Shi, Y. and Li, T. 2015. BP Neural Network Application Model of Predicting the Apple Hardness. *J. Comput. Theor. Nanosci.*, **12(9)**: 2802–2807.
35. Polak, A., Coutts, F. K., Murray, P. and Marshall, S. 2019. Use of Hyperspectral Imaging for Cake Moisture and Hardness Prediction. *IET Image Process.*, **13(7)**: 1152–1160.

36. Qiao, J., Wang, N., Ngadi, M. O. and Kazemi, S. 2007. Predicting Mechanical Properties of Fried Chicken Nuggets Using Image Processing and Neural Network Techniques. *J. Food Eng.*, **79(3)**: 1065–1070.
37. Shahapuzi, N. S., Taip, F. S., Ab Aziz, N., and Ahmedov, A. 2015. Effect of Oven Temperature Profile and Different Baking Conditions on Final Cake Quality. *Int. J. Food Sci.*, **50(3)**: 723–729.
38. Soleimanifard, S., Emam-Djomeh, Z., Askari, G. and Shahedi, M. 2024. The Effect of a Microwave Susceptor on the Textural Properties of Cupcakes during Baking – A Comparison with Microwave and Conventional Baking Methods. *Acta Sci. Pol. Technol. Aliment.*, **23**: 123–132.
39. Sun, R., Zhou, Jy., and Yu, D. 2021. Nondestructive Prediction Model of Internal Hardness Attribute of Fig Fruit Using NIR Spectroscopy and RF. *Multimed. Tools Appl.*, **80(14)**: 21579–21594.
40. Tharwat, A., Gaber, T., Hassanien, A. E. and Elhoseny, M. 2018. Automated Toxicity Test Model Based on a Bio-Inspired Technique and AdaBoost Classifier. *Comput. Electr. Eng.*, **71**: 346–358.
41. Vásquez, N., Magán, C., Oblitas, J., Chuquizuta, T., Avila-George, H. and Castro, W. 2018. Comparison between Artificial Neural Network and Partial Least Squares Regression Models for Hardness Modeling during the Ripening Process of Swiss-Type Cheese Using Spectral Profiles. *J. Food Eng.*, **219**: 8–15.
42. Zareifard, M. R., Boissonneault, V. and Marcotte, M. 2009. Bakery Product Characteristics as Influenced by Convection Heat Flux. *Food Res. Int.*, **42(7)**: 856–864.
43. Zhou, Y., Ma, Y., Sun, X., Peng, A., Zhang, B., Gu, X., Wang, Y., He, X. and Guo, Z. 2024. Quality Prediction of Kiwifruit Based on Transfer Learning. *J. Intell. Fuzzy Syst.*, **46(3)**: 7389–7400.
44. Zhu, H., Chu, B., Fan, Y., Tao, X., Yin, W. and He, Y. 2017. Hyperspectral Imaging for Predicting the Internal Quality of Kiwifruits Based on Variable Selection Algorithms and Chemometric Models. *Sci. Rep.*, **7(1)**: 1–13.

پیش بینی بافت کیک طی پخت سنتی برپایه الگوریتم آدابوست

صدیقه سلیمانی فرد، نفیسه جهان بخشیان، و سمیه نیک نیا

چکیده

پژوهش حاضر به بررسی تأثیر دمای پخت (140، 160، 180، 200 و 220 درجه سانتیگراد) بر سینتیک بافت می‌پردازد. همچنین یک متالگوریتم طبقه بندی آماری به نام آدابوست را برای پیش بینی تغییرات بافت در طول پخت سنتی کیک بررسی می‌کند. نتایج تجربی نشان داد که خواص بافت به‌طور معنی‌داری تحت تأثیر دما و زمان پخت قرار می‌گیرد. با افزایش زمان و دما، سفتی بافت، چسبندگی، صمغی بودن و قابلیت جویدن افزایش و فنری بودن کاهش یافت. با این حال، تأثیر زمان و دما بر انعطاف‌پذیری متناقض بود و در یک چهارم انتهایی فرآیند حداکثر بود. نتایج پیش‌بینی‌شده نشان داد که الگوریتم آدابوست ویژگی‌های بافت را با ضریب تعیین بالا ($R^2 > 0.989$) و حداقل ریشه میانگین مربعات خطا ($RMSE < 0.0019$) در تمام ویژگی‌های بافتی به دقت پیش‌بینی می‌کند. بنابراین، می‌تواند به عنوان یک ابزار کارآمد برای پیش بینی خواص بافت کیک در حین پخت عمل کند. علاوه بر این، روش پیشنهادی را می‌توان برای پیش بینی خواص بافت سایر محصولات پخته شده گسترش داد.